



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/01/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/02/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



UNCLASSIFIED

Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/06/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aeroequal VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)

UNCLASSIFIED



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/07/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/08/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/09/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerological VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



UNCLASSIFIED

Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/10/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aeroequal VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)

UNCLASSIFIED



UNCLASSIFIED

Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/13/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)

UNCLASSIFIED



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/14/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerological VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/15/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerological VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/16/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/17/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/20/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerological VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/21/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/22/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/23/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerological VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/24/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/27/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerological VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



UNCLASSIFIED

Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/28/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)

UNCLASSIFIED



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/29/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerograph VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/30/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerological VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



UNCLASSIFIED

Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

7/1/2026 to 7/31/2026

Date	Time	RH-AQM-01 ppmv	RH-AQM-02 ppmv	RH-AQM-03 ppmv	RH-AQM-04 ppmv	RH-AQM-05 ppmv	RH-AQM-06 ppmv	RH-AQM-07 ppmv	RH-AQM-08 ppmv	RH-AQM-09 ppmv
07/31/2026	06:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11:00 AM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	01:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	03:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	04:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	05:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	07:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Aerological VOC module used to measure total VOCs.

* Instrument range are 0.1 parts per million (ppm) to 30 ppm.

* Effective January 1, 2026, all VOC concentrations are reported to one decimal place. This adjustment reflects the reporting limit of the new instrumentation being utilized for our air monitoring program, which is 0.1 ppmv.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)

UNCLASSIFIED