



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                                     | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|---|--------------------------|
| 1   | 8    | 30-May-24 | 0846       | 0946     | 0.69029     | 1.52               | 0.2                   | 854134.2         |   |                          |
| 2   | 8    | 30-May-24 | 1046       | 1146     | 0.66645     | 1.53               | 5.27                  | 819171.1         |   |                          |
| 3   | 8    | 30-May-24 | 1146       | 1246     | 0.38417     | 7.44               | 0.21                  | 469380.6         |   |                          |
| 4   | 8    | 30-May-24 | 1246       | 1346     | 0.00155     | 3.04               | 0.22                  | 901.1            | Shutdown                                  |                          |
| 5   | 8    | 30-May-24 | 1331       | 1431     | 0.52718     | 1.54               | 11.82                 | 646060.9         |   |                          |
| 6   | 8    | 30-May-24 | 1431       | 1531     | 0.66469     | 1.54               | 17.36                 | 816971.3         |   |                          |
| 7   | 8    | 30-May-24 | 1531       | 1631     | 0.69253     | 1.53               | 16.66                 | 853384.4         |   |                          |
| 8   | 8    | 30-May-24 | 1631       | 1731     | 0.66666     | 1.53               | 18.9                  | 819425           | End of Day                                | 8.830                    |
| 9   | 8    | 31-May-24 | 0808       | 0908     | 24.28599    | 55.23              | 14.22                 | 832866.2         |   |                          |
| 10  | 8    | 31-May-24 | 0908       | 1008     | 32.61716    | 78.38              | 16.77                 | 780447.8         |   |                          |
| 11  | 8    | 31-May-24 | 1008       | 1108     | 29.32214    | 69.6               | 16.12                 | 791866.3         |   |                          |
| 12  | 8    | 31-May-24 | 1108       | 1208     | 25.67597    | 60.84              | 14.17                 | 793481.9         | revised - correction factor added to data |                          |
| 13  | 8    | 31-May-24 | 1208       | 1308     | 22.65564    | 53.15              | 12.36                 | 802841.6         |   |                          |
| 14  | 8    | 31-May-24 | 1308       | 1408     | 22.93133    | 44.83              | 9.69                  | 964209.2         |   |                          |
| 15  | 8    | 31-May-24 | 1408       | 1508     | 20.33346    | 38.96              | 8.18                  | 987594.3         |   |                          |
| 16  | 8    | 31-May-24 | 1508       | 1608     | 21.3014     | 37.81              | 7.43                  | 1059270.1        |   |                          |
| 17  | 8    | 31-May-24 | 1608       | 1708     | 34.39457    | 60.96              | 6.49                  | 1064712.1        | End of Day                                | 11.714                   |
| 18  | 8    | 03-Jun-24 | 0751       | 0851     | 23.96625    | 73.47              | 10.88                 | 620603.3         |   |                          |
| 19  | 8    | 03-Jun-24 | 0851       | 0951     | 31.27616    | 93.37              | 17.74                 | 627396.6         |   |                          |
| 20  | 8    | 03-Jun-24 | 0951       | 1051     | 29.34022    | 83.28              | 17.41                 | 662611.9         |   |                          |
| 21  | 8    | 03-Jun-24 | 1051       | 1151     | 36.53655    | 76.2               | 16.89                 | 903970.6         |   |                          |
| 22  | 8    | 03-Jun-24 | 1151       | 1251     | 32.15279    | 67.67              | 14.86                 | 899251.7         |   |                          |
| 23  | 8    | 03-Jun-24 | 1251       | 1351     | 28.33333    | 59.36              | 12.29                 | 905109.4         |   |                          |
| 24  | 8    | 03-Jun-24 | 1351       | 1451     | 23.58283    | 50.69              | 9.01                  | 878727           |   |                          |
| 25  | 8    | 03-Jun-24 | 1451       | 1551     | 18.72639    | 43.27              | 6.39                  | 817038.8         |   |                          |
| 26  | 8    | 03-Jun-24 | 1551       | 1651     | 16.77977    | 40.34              | 5.16                  | 785007.5         |   |                          |
| 27  | 8    | 03-Jun-24 | 1651       | 1751     | 10.74296    | 25.77              | 2.81                  | 790263.4         | End of Day                                | 11.344                   |
| 28  | 8    | 04-Jun-24 | 0654       | 0754     | 6.92794     | 16.08              | 1.27                  | 814492.5         |   |                          |
| 29  | 8    | 04-Jun-24 | 0754       | 0854     | 12.51555    | 28.84              | 2.32                  | 815909.9         |   |                          |
| 30  | 8    | 04-Jun-24 | 0854       | 0954     | 10.83086    | 26.82              | 1.68                  | 759548.5         |   |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank    | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|---------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 31  | 8       | 04-Jun-24 | 0954       | 1054     | 11.04559    | 27.76              | 1.62                  | 750212.8         |                              |                          |
| 32  | 8       | 04-Jun-24 | 1054       | 1154     | 11.12202    | 27.89              | 1.63                  | 753120.8         |                              |                          |
| 33  | 8       | 04-Jun-24 | 1154       | 1254     | 11.63371    | 28.46              | 1.59                  | 772237.7         |                              |                          |
| 34  | 8       | 04-Jun-24 | 1254       | 1354     | 18.08503    | 36.17              | 3.43                  | 948351           |                              |                          |
| 35  | 8       | 04-Jun-24 | 1354       | 1454     | 14.65221    | 30.46              | 2.04                  | 908008.1         |                              |                          |
| 36  | 8       | 04-Jun-24 | 1454       | 1554     | 15.44483    | 29.9               | 1.96                  | 976610.5         |                              |                          |
| 37  | 8       | 04-Jun-24 | 1554       | 1654     | 13.96251    | 27.06              | 2.25                  | 981172.2         |                              |                          |
| 38  | 8       | 04-Jun-24 | 1654       | 1754     | 7.84478     | 19.32              | 1.14                  | 694112.9         | End of Day                   | 1.903                    |
| 39  | 8       | 05-Jun-24 | 0801       | 0901     | 1.66557     | 8.83               | 0.2                   | 804050.7         |                              |                          |
| 40  | 8       | 05-Jun-24 | 0901       | 1001     | 6.00988     | 21.5               | 0.73                  | 982288           |                              |                          |
| 41  | 8       | 05-Jun-24 | 1001       | 1101     | 6.79053     | 22.53              | 1.61                  | 1000875.7        |                              |                          |
| 42  | 8       | 05-Jun-24 | 1101       | 1201     | 5.95322     | 19.61              | 0.96                  | 1004884.3        |                              |                          |
| 43  | 8       | 05-Jun-24 | 1201       | 1301     | 5.22074     | 17.49              | 0.22                  | 1003832.3        |                              |                          |
| 44  | 8       | 05-Jun-24 | 1301       | 1401     | 4.70069     | 16                 | 0.22                  | 1010293.6        |                              |                          |
| 45  | 8       | 05-Jun-24 | 1401       | 1501     | 4.24666     | 14.58              | 0.22                  | 1010309.8        |                              |                          |
| 46  | 8       | 05-Jun-24 | 1501       | 1601     | 3.9973      | 13.69              | 0.22                  | 1012809.8        |                              |                          |
| 47  | 8       | 05-Jun-24 | 1601       | 1648     | 1.13747     | 10.69              | 0.22                  | 310197           | End of Day                   | 0.511                    |
| 48  | 8       | 06-Jun-24 | 0819       | 0919     | 0.94464     | 14.42              | 0.2                   | 872548.5         |                              |                          |
| 49  | 8       | 06-Jun-24 | 0919       | 1019     | 1.58352     | 16.11              | 0.21                  | 865697.8         |                              |                          |
| 50  | 7 and 8 | 06-Jun-24 | 1019       | 1119     | 7.06347     | 28.86              | 1.37                  | 864091.1         | Tank 7 and 8 fully connected |                          |
| 51  | 7 and 8 | 06-Jun-24 | 1119       | 1219     | 22.19025    | 60.62              | 6.25                  | 875027.1         |                              |                          |
| 52  | 7 and 8 | 06-Jun-24 | 1219       | 1319     | 20.99472    | 40.26              | 9.44                  | 890110.5         |                              |                          |
| 53  | 7 and 8 | 06-Jun-24 | 1319       | 1419     | 38.06781    | 83                 | 19.47                 | 873416.8         |                              |                          |
| 54  | 7 and 8 | 06-Jun-24 | 1419       | 1519     | 37.65721    | 82.85              | 18.29                 | 864400.2         |                              |                          |
| 55  | 7 and 8 | 06-Jun-24 | 1519       | 1619     | 12.80828    | 27.16              | 5.98                  | 628630.1         | End of Day                   | 7.651                    |
| 56  | 7 and 8 | 07-Jun-24 | 0826       | 0926     | 24.76477    | 54.95              | 10.46                 | 852547.6         |                              |                          |
| 57  | 7 and 8 | 07-Jun-24 | 0926       | 1026     | 38.19628    | 84.91              | 18.07                 | 848197           |                              |                          |
| 58  | 7 and 8 | 07-Jun-24 | 1026       | 1126     | 38.09437    | 84.18              | 17.85                 | 854968.3         |                              |                          |
| 59  | 7 and 8 | 07-Jun-24 | 1126       | 1226     | 35.92076    | 78.45              | 16.92                 | 868145.8         |                              |                          |
| 60  | 7 and 8 | 07-Jun-24 | 1226       | 1326     | 37.50066    | 75.51              | 17.87                 | 944479           |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank    | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes      | Daily Average Vent Stack |
|-----|---------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------|--------------------------|
| 61  | 7 and 8 | 07-Jun-24 | 1326       | 1426     | 40.05271    | 74.55              | 18.05                 | 1025354.6        |            |                          |
| 62  | 7 and 8 | 07-Jun-24 | 1426       | 1526     | 27.7495     | 54.6               | 11.74                 | 944917.1         |            |                          |
| 63  | 7 and 8 | 07-Jun-24 | 1526       | 1603     | 1.60406     | 8.83               | 1.58                  | 176666.1         | End of Day | 14.068                   |
| 64  | 7 and 8 | 10-Jun-24 | 0714       | 0814     | 18.46641    | 36.66              | 7.54                  | 926299.6         |            |                          |
| 65  | 7 and 8 | 10-Jun-24 | 0814       | 0914     | 21.87917    | 43.28              | 11.37                 | 951696.3         |            |                          |
| 66  | 7 and 8 | 10-Jun-24 | 0914       | 1014     | 21.46372    | 42.5               | 11.27                 | 952793.5         |            |                          |
| 67  | 7 and 8 | 10-Jun-24 | 1014       | 1114     | 19.50815    | 38.8               | 9.84                  | 951032.7         |            |                          |
| 68  | 7 and 8 | 10-Jun-24 | 1114       | 1214     | 21.56252    | 43.1               | 11.49                 | 947883.9         |            |                          |
| 69  | 7 and 8 | 10-Jun-24 | 1214       | 1314     | 26.38464    | 45.34              | 12.33                 | 1100555.9        |            |                          |
| 70  | 7 and 8 | 10-Jun-24 | 1314       | 1414     | 27.46776    | 43.76              | 12.24                 | 1198179          |            |                          |
| 71  | 7 and 8 | 10-Jun-24 | 1414       | 1514     | 22.27284    | 36.1               | 9.43                  | 1154019          |            |                          |
| 72  | 7 and 8 | 10-Jun-24 | 1514       | 1614     | 4.00353     | 5.99               | 0.88                  | 407929.5         | End of Day | 9.599                    |
| 73  | 7 and 8 | 11-Jun-24 | 0750       | 0850     | 14.74997    | 26.35              | 2.65                  | 1052816.6        |            |                          |
| 74  | 7 and 8 | 11-Jun-24 | 0850       | 0950     | 16.38939    | 29.37              | 4.06                  | 1053283.4        |            |                          |
| 75  | 7 and 8 | 11-Jun-24 | 0950       | 1050     | 14.9791     | 26.9               | 3.18                  | 1053567.7        |            |                          |
| 76  | 7 and 8 | 11-Jun-24 | 1050       | 1150     | 14.19104    | 25.59              | 2.55                  | 1050949.9        |            |                          |
| 77  | 7 and 8 | 11-Jun-24 | 1150       | 1250     | 14.15146    | 25.69              | 2.4                   | 1046656          |            |                          |
| 78  | 7 and 8 | 11-Jun-24 | 1250       | 1350     | 13.16148    | 24.01              | 1.88                  | 1043309.8        |            |                          |
| 79  | 7 and 8 | 11-Jun-24 | 1350       | 1450     | 12.37339    | 22.35              | 1.53                  | 1053249          |            |                          |
| 80  | 7 and 8 | 11-Jun-24 | 1450       | 1537     | 6.21096     | 12.71              | 0.47                  | 675060.6         | End of Day | 0.243                    |
| 81  | 7 and 8 | 12-Jun-24 | 0731       | 0831     | 8.56865     | 16.25              | 0.2                   | 978051.3         |            |                          |
| 82  | 7 and 8 | 12-Jun-24 | 0831       | 0931     | 9.53319     | 17.77              | 0.28                  | 1009580.7        |            |                          |
| 83  | 7 and 8 | 12-Jun-24 | 0931       | 1031     | 9.44795     | 17.66              | 0.21                  | 1007091.4        |            |                          |
| 84  | 7 and 8 | 12-Jun-24 | 1031       | 1131     | 9.40825     | 17.82              | 0.21                  | 994262           |            |                          |
| 85  | 7 and 8 | 12-Jun-24 | 1131       | 1231     | 9.28023     | 17.78              | 0.21                  | 983907.2         |            |                          |
| 86  | 7 and 8 | 12-Jun-24 | 1231       | 1331     | 9.41571     | 18.07              | 0.21                  | 983716.4         |            |                          |
| 87  | 7 and 8 | 12-Jun-24 | 1331       | 1431     | 14.21991    | 23.12              | 0.4                   | 1155499.9        |            |                          |
| 88  | 7 and 8 | 12-Jun-24 | 1431       | 1531     | 14.30324    | 22.67              | 0.22                  | 1193175.3        |            |                          |
| 89  | 7 and 8 | 12-Jun-24 | 1531       | 1616     | 3.08446     | 10.02              | 0.22                  | 342319.5         | End of Day | 0.240                    |
| 90  | 7 and 8 | 13-Jun-24 | 0742       | 0842     | 7.08453     | 11.9               | 0.2                   | 926964.4         |            |                          |
| 91  | 7 and 8 | 13-Jun-24 | 0842       | 0942     | 12.93243    | 20.14              | 0.43                  | 1207939.9        |            |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank    | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes      | Daily Average Vent Stack |
|-----|---------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------|--------------------------|
| 92  | 7 and 8 | 13-Jun-24 | 0942       | 1042     | 11.26241    | 17.35              | 0.21                  | 1231458.1        |            |                          |
| 93  | 7 and 8 | 13-Jun-24 | 1042       | 1142     | 8.67364     | 12.27              | 0.21                  | 1349096.1        |            |                          |
| 94  | 7 and 8 | 13-Jun-24 | 1142       | 1242     | 7.37995     | 10.43              | 0.22                  | 1352700.2        |            |                          |
| 95  | 7 and 8 | 13-Jun-24 | 1242       | 1342     | 6.79699     | 9.61               | 0.22                  | 1353327.2        |            |                          |
| 96  | 7 and 8 | 13-Jun-24 | 1342       | 1442     | 6.49944     | 9.6                | 0.22                  | 1299869.5        |            |                          |
| 97  | 7 and 8 | 13-Jun-24 | 1442       | 1542     | 4.1443      | 7.79               | 0.22                  | 948563.9         | End of Day | 0.241                    |
| 98  | 7 and 8 | 14-Jun-24 | 0641       | 0741     | 3.11148     | 5.41               | 0.2                   | 966697.7         |            |                          |
| 99  | 7 and 8 | 14-Jun-24 | 0741       | 0841     | 6.17575     | 9.46               | 0.2                   | 1233936.7        |            |                          |
| 100 | 7 and 8 | 14-Jun-24 | 0841       | 0941     | 5.86608     | 9.02               | 0.21                  | 1231344.3        |            |                          |
| 101 | 7 and 8 | 14-Jun-24 | 0941       | 1041     | 4.40084     | 7.28               | 0.21                  | 1119064.8        |            |                          |
| 102 | 7 and 8 | 14-Jun-24 | 1041       | 1055     | 0.0554      | 0.69               | 0.22                  | 26199.5          | End of Day | 0.208                    |
| 103 | 7 and 8 | 17-Jun-24 | 0800       | 0900     | 2.5165      | 4.36               | 0.2                   | 841535.5         |            |                          |
| 104 | 7 and 8 | 17-Jun-24 | 0900       | 1000     | 7.57022     | 10.72              | 0.21                  | 1336667.5        |            |                          |
| 105 | 7 and 8 | 17-Jun-24 | 1000       | 1100     | 8.27894     | 11.33              | 0.21                  | 1389178.7        |            |                          |
| 106 | 7 and 8 | 17-Jun-24 | 1100       | 1200     | 7.33361     | 10.07              | 0.22                  | 1385906          |            |                          |
| 107 | 7 and 8 | 17-Jun-24 | 1200       | 1300     | 6.167       | 8.44               | 0.22                  | 1388326.3        |            |                          |
| 108 | 7 and 8 | 17-Jun-24 | 1300       | 1400     | 5.47366     | 7.52               | 0.22                  | 1387440.8        |            |                          |
| 109 | 7 and 8 | 17-Jun-24 | 1400       | 1500     | 4.8955      | 6.74               | 0.22                  | 1386767.7        |            |                          |
| 110 | 7 and 8 | 17-Jun-24 | 1500       | 1600     | 2.85923     | 5.22               | 0.22                  | 1007122.3        |            |                          |
| 111 | 7 and 8 | 17-Jun-24 | 1600       | 1639     | 0.65714     | 2.24               | 0.22                  | 318693.3         | End of Day | 0.216                    |
| 112 | 7 and 8 | 18-Jun-24 | 0712       | 0812     | 0.00549     | 0.07               | 0.2                   | 87547.6          |            |                          |
| 113 | 7 and 8 | 18-Jun-24 | 0812       | 0912     | 2.24139     | 3.36               | 0.2                   | 1243238          |            |                          |
| 114 | 7 and 8 | 18-Jun-24 | 0912       | 1012     | 2.9508      | 4.44               | 0.2                   | 1252132.5        |            |                          |
| 115 | 7 and 8 | 18-Jun-24 | 1012       | 1112     | 3.11244     | 4.69               | 0.2                   | 1251960.4        |            |                          |
| 116 | 7 and 8 | 18-Jun-24 | 1112       | 1212     | 3.22975     | 4.91               | 0.21                  | 1245764.1        |            |                          |
| 117 | 7 and 8 | 18-Jun-24 | 1212       | 1312     | 3.19265     | 4.83               | 0.22                  | 1256111.7        |            |                          |
| 118 | 7 and 8 | 18-Jun-24 | 1312       | 1412     | 3.05642     | 4.61               | 0.22                  | 1258610.4        |            |                          |
| 119 | 7 and 8 | 18-Jun-24 | 1412       | 1512     | 2.74228     | 4.28               | 0.22                  | 1217226.6        |            |                          |
| 120 | 7 and 8 | 18-Jun-24 | 1512       | 1545     | 0.64343     | 1.68               | 0.21                  | 298787.4         | End of Day | 0.209                    |
| 121 | 7 and 8 | 19-Jun-24 | 0722       | 0822     | 1.68186     | 2.9                | 0.23                  | 960543.5         |            |                          |
| 122 | 7 and 8 | 19-Jun-24 | 0822       | 0922     | 2.54558     | 4.38               | 0.21                  | 1098237.3        |            |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#   | Tank    | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                                 | Daily Average Vent Stack |
|---|---------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|---------------------------------------|--------------------------|
| 123   | 7 and 8 | 19-Jun-24 | 0922       | 1022     | 2.33381     | 4.02               | 0.21                  | 1101715.8        |                                       |                          |
| 124   | 7 and 8 | 19-Jun-24 | 1022       | 1122     | 2.11157     | 3.62               | 0.22                  | 1108468.7        |                                       |                          |
| 125   | 7 and 8 | 19-Jun-24 | 1122       | 1222     | 1.95754     | 3.36               | 0.22                  | 1106827.8        |                                       |                          |
| 126   | 7 and 8 | 19-Jun-24 | 1222       | 1322     | 1.8716      | 3.14               | 0.22                  | 1109061.5        |                                       |                          |
| 127   | 7 and 8 | 19-Jun-24 | 1322       | 1422     | 1.83859     | 3.13               | 0.22                  | 1118324.4        |                                       |                          |
| 128   | 7 and 8 | 19-Jun-24 | 1422       | 1522     | 1.80568     | 3.07               | 0.22                  | 1115638.5        |                                       |                          |
| 129   | 7 and 8 | 19-Jun-24 | 1522       | 1555     | 0.60823     | 1.32               | 0.22                  | 380170           | End of Day                            | 0.219                    |
| <p><i>JUN 20, 2024 - SEP 03, 2024: Tank ventilation activities for Tanks 7 and 8 complete. NCTF-RH has met the DOH requirement of below 4.82 lbs/hr undiluted total VOC concentrations and demonstrated readings below 15 ppmv from Tanks 7 and 8 on JUN 19, 2024. Tanks 7 and 8 disconnected and manway removed. No active forced ventilation activities. Notified DOH. Preparatory work for Tank 6 ventilation.</i></p> |         |           |            |          |             |                    |                       |                  |                                       |                          |
| 130   | 6       | 04-Sep-24 | 1216       | 1316     | 0.55256     | 1.12               | 0.23                  | 907965.2         | Tank 6 start - damper cracked at 1301 |                          |
| 131   | 6       | 04-Sep-24 | 1316       | 1416     | 22.92122    | 44.45              | 10.44                 | 976292           |                                       |                          |
| 132   | 6       | 04-Sep-24 | 1416       | 1516     | 15.63419    | 30.52              | 8.16                  | 974203.2         |                                       |                          |
| 133   | 6       | 04-Sep-24 | 1516       | 1605     | 8.3151      | 16.01              | 5.76                  | 754401.2         | End of Day                            | 6.148                    |
| 134   | 6       | 05-Sep-24 | 0822       | 0922     | 16.82219    | 35.12              | 7.82                  | 868589.8         | Tank 6 damper opened                  |                          |
| 135   | 6       | 05-Sep-24 | 0922       | 1022     | 19.89815    | 40.86              | 11.57                 | 916734.9         |                                       |                          |
| 136   | 6       | 05-Sep-24 | 1022       | 1122     | 30.1385     | 61.18              | 16.02                 | 928493.2         |                                       |                          |
| 137   | 6       | 05-Sep-24 | 1122       | 1222     | 40.10072    | 78.53              | 22.2                  | 968396.4         |                                       |                          |
| 138   | 6       | 05-Sep-24 | 1222       | 1322     | 39.8012     | 78.08              | 23.24                 | 969214.8         |                                       |                          |
| 139   | 6       | 05-Sep-24 | 1322       | 1422     | 38.86978    | 74.29              | 22.49                 | 995391.5         |                                       |                          |
| 140   | 6       | 05-Sep-24 | 1422       | 1522     | 37.89839    | 71.54              | 21.64                 | 1008219.1        |                                       |                          |
| 141   | 6       | 05-Sep-24 | 1522       | 1603     | 9.3689      | 17.84              | 8.05                  | 602008.6         | End of Day                            | 16.629                   |
| 142   | 6       | 06-Sep-24 | 0805       | 0905     | 26.99456    | 53                 | 10.36                 | 770542.6         | Tank 6 damper open at 0820            |                          |
| 143   | 6       | 06-Sep-24 | 0905       | 1005     | 39.09139    | 77.36              | 17.15                 | 951333.2         |                                       |                          |
| 144   | 6       | 06-Sep-24 | 1005       | 1105     | 35.94026    | 70.59              | 17.18                 | 963262.7         |                                       |                          |
| 145   | 6       | 06-Sep-24 | 1105       | 1205     | 37.84538    | 72.88              | 19.13                 | 985235.9         |                                       |                          |
| 146   | 6       | 06-Sep-24 | 1205       | 1305     | 38.73581    | 73.1               | 20.56                 | 1008217.3        |                                       |                          |
| 147   | 6       | 06-Sep-24 | 1305       | 1405     | 38.14498    | 72.2               | 20.93                 | 1006227.6        |                                       |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 148 | 6    | 06-Sep-24 | 1405       | 1505     | 39.04869    | 72.24              | 21.21                 | 1028718.4        |                            |                          |
| 149 | 6    | 06-Sep-24 | 1505       | 1605     | 32.08548    | 56.35              | 17.3                  | 1043662.4        | End of Day                 | 17.978                   |
| 150 | 6    | 09-Sep-24 | 0742       | 0842     | 26.69666    | 45.16              | 7.96                  | 1062241.8        | Tank 6 damper open 0748    |                          |
| 151 | 6    | 09-Sep-24 | 0842       | 0942     | 42.82245    | 72.21              | 15                    | 1114585.4        |                            |                          |
| 152 | 6    | 09-Sep-24 | 0942       | 1042     | 40.17129    | 67.4               | 16.23                 | 1125285          |                            |                          |
| 153 | 6    | 09-Sep-24 | 1042       | 1142     | 38.30729    | 64.97              | 16.85                 | 1116878.8        |                            |                          |
| 154 | 6    | 09-Sep-24 | 1142       | 1242     | 38.77697    | 66.97              | 18.33                 | 1097794.5        |                            |                          |
| 155 | 6    | 09-Sep-24 | 1242       | 1342     | 40.72594    | 70.73              | 20.78                 | 1091338.6        |                            |                          |
| 156 | 6    | 09-Sep-24 | 1342       | 1442     | 44.89909    | 75.56              | 24.31                 | 1125870.5        |                            |                          |
| 157 | 6    | 09-Sep-24 | 1442       | 1542     | 43.19609    | 72.42              | 23.18                 | 1127595.6        |                            |                          |
| 158 | 6    | 09-Sep-24 | 1542       | 1603     | 3.99775     | 7.49               | 6.76                  | 300422.2         | End of Day                 | 16.600                   |
| 159 | 6    | 10-Sep-24 | 0725       | 0825     | 27.73224    | 46                 | 8.36                  | 1096315.6        | Tank 6 damper open at 0738 |                          |
| 160 | 6    | 10-Sep-24 | 0825       | 0925     | 39.41793    | 65.43              | 13.67                 | 1130866.5        |                            |                          |
| 161 | 6    | 10-Sep-24 | 0925       | 1025     | 38.38966    | 63.81              | 15.67                 | 1135288          |                            |                          |
| 162 | 6    | 10-Sep-24 | 1025       | 1125     | 39.90446    | 72.35              | 21.66                 | 1047112.9        |                            |                          |
| 163 | 6    | 10-Sep-24 | 1125       | 1225     | 42.96645    | 77.69              | 25.38                 | 1052659.5        |                            |                          |
| 164 | 6    | 10-Sep-24 | 1225       | 1325     | 41.51504    | 74.61              | 24.92                 | 1061505.3        |                            |                          |
| 165 | 6    | 10-Sep-24 | 1325       | 1425     | 42.54719    | 76.46              | 26.55                 | 1063416          |                            |                          |
| 166 | 6    | 10-Sep-24 | 1425       | 1525     | 41.43044    | 71.05              | 24.38                 | 1111632.5        |                            |                          |
| 167 | 6    | 10-Sep-24 | 1525       | 1551     | 6.89576     | 12.42              | 9.75                  | 391610.1         | End of Day                 | 18.927                   |
| 168 | 6    | 11-Sep-24 | 0753       | 0853     | 39.0254     | 65.57              | 16.5                  | 1101273.8        | Tank 6 damper open at 0800 |                          |
| 169 | 6    | 11-Sep-24 | 0853       | 0953     | 41.87945    | 74.19              | 22.09                 | 1067198.3        |                            |                          |
| 170 | 6    | 11-Sep-24 | 0953       | 1053     | 42.11203    | 75.02              | 24.66                 | 1064476.9        |                            |                          |
| 171 | 6    | 11-Sep-24 | 1053       | 1153     | 46.16943    | 81.36              | 29.65                 | 1081754.8        |                            |                          |
| 172 | 6    | 11-Sep-24 | 1153       | 1253     | 42.3833     | 75.37              | 27.66                 | 1075467.5        |                            |                          |
| 173 | 6    | 11-Sep-24 | 1253       | 1353     | 41.76012    | 74.35              | 28.27                 | 1076496.9        |                            |                          |
| 174 | 6    | 11-Sep-24 | 1353       | 1453     | 42.5816     | 75.02              | 28.86                 | 1087693.7        |                            |                          |
| 175 | 6    | 11-Sep-24 | 1453       | 1553     | 38.30856    | 66.53              | 24.7                  | 1105868.9        |                            |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 176 | 6    | 11-Sep-24 | 1553       | 1653     | 0.19676     | 4.09               | 4.18                  | 29659.7          | End of Day                 | 22.952                   |
| 177 | 6    | 12-Sep-24 | 0719       | 0819     | 32.17483    | 56.23              | 16.2                  | 1016746.6        | Tank 6 damper open at 0729 |                          |
| 178 | 6    | 12-Sep-24 | 0819       | 0919     | 41.58706    | 73.07              | 24.05                 | 1074687.6        |                            |                          |
| 179 | 6    | 12-Sep-24 | 0919       | 1019     | 38.38674    | 67.79              | 23.24                 | 1072987.5        |                            |                          |
| 180 | 6    | 12-Sep-24 | 1019       | 1119     | 35.43933    | 62.8               | 21.9                  | 1072638.5        |                            |                          |
| 181 | 6    | 12-Sep-24 | 1119       | 1219     | 21.1247     | 37.51              | 12.89                 | 1074470.6        |                            |                          |
| 182 | 6    | 12-Sep-24 | 1219       | 1319     | 13.37974    | 23.48              | 6.98                  | 1088260.3        |                            |                          |
| 183 | 6    | 12-Sep-24 | 1319       | 1419     | 9.13028     | 16.09              | 3.42                  | 1084809.2        |                            |                          |
| 184 | 6    | 12-Sep-24 | 1419       | 1519     | 28.32259    | 49.1               | 13.59                 | 1102921.3        |                            |                          |
| 185 | 6    | 12-Sep-24 | 1519       | 1539     | 5.05139     | 9.35               | 8.16                  | 291041           | End of Day                 | 14.492                   |
| 186 | 6    | 13-Sep-24 | 0724       | 0824     | 7.80759     | 13.35              | 2.25                  | 1038168.9        | Tank 6 damper open at 0732 |                          |
| 187 | 6    | 13-Sep-24 | 0824       | 0924     | 6.26766     | 10.73              | 0.96                  | 1105289.7        |                            |                          |
| 188 | 6    | 13-Sep-24 | 0924       | 1024     | 7.18928     | 12.27              | 0.88                  | 1111962.7        |                            |                          |
| 189 | 6    | 13-Sep-24 | 1024       | 1124     | 8.12        | 14.02              | 1.63                  | 1102369          |                            |                          |
| 190 | 6    | 13-Sep-24 | 1124       | 1224     | 8.84941     | 15.36              | 2.54                  | 1101267.1        |                            |                          |
| 191 | 6    | 13-Sep-24 | 1224       | 1324     | 11.40593    | 19.68              | 3.58                  | 1107586.6        |                            |                          |
| 192 | 6    | 13-Sep-24 | 1324       | 1424     | 6.97591     | 11.96              | 1.12                  | 1116225          |                            |                          |
| 193 | 6    | 13-Sep-24 | 1424       | 1524     | 35.67479    | 61.39              | 16.51                 | 1101755.4        | End of Day                 | 4.704                    |
| 194 | 6    | 16-Sep-24 | 0734       | 0834     | 28.48551    | 61.63              | 12.82                 | 784040.2         | Tank 6 damper open at 0744 |                          |
| 195 | 6    | 16-Sep-24 | 0834       | 0934     | 23.8409     | 51.92              | 12.15                 | 865942.7         |                            |                          |
| 196 | 6    | 16-Sep-24 | 0934       | 1034     | 12.84313    | 28.26              | 6.76                  | 862734           |                            |                          |
| 197 | 6    | 16-Sep-24 | 1034       | 1134     | 10.11027    | 22.2               | 4.47                  | 865976.5         |                            |                          |
| 198 | 6    | 16-Sep-24 | 1134       | 1234     | 7.47234     | 16.5               | 2.77                  | 875399.3         |                            |                          |
| 199 | 6    | 16-Sep-24 | 1234       | 1334     | 10.63412    | 21.91              | 2.85                  | 925299.9         |                            |                          |
| 200 | 6    | 16-Sep-24 | 1334       | 1434     | 11.61053    | 23.14              | 5.15                  | 957836.7         |                            |                          |
| 201 | 6    | 16-Sep-24 | 1434       | 1527     | 16.98778    | 33.67              | 9.61                  | 825930           |                            |                          |
| 202 | 6    | 16-Sep-24 | 1527       | 1614     | 19.31505    | 38.43              | 13.8                  | 682701.1         | End of Day                 | 7.820                    |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 203 | 6    | 17-Sep-24 | 0745       | 0845     | 5.58963     | 12.2               | 2.02                  | 835263.5         | Tank 6 damper open at 0749 |                          |
| 204 | 6    | 17-Sep-24 | 0845       | 0945     | 20.8392     | 43.79              | 9.19                  | 897369.6         |                            |                          |
| 205 | 6    | 17-Sep-24 | 0945       | 1045     | 39.64403    | 82.73              | 22.9                  | 908337.2         |                            |                          |
| 206 | 6    | 17-Sep-24 | 1045       | 1145     | 41.46931    | 81.36              | 24.65                 | 968945.8         |                            |                          |
| 207 | 6    | 17-Sep-24 | 1145       | 1245     | 38.25541    | 74.73              | 23.51                 | 976030.1         |                            |                          |
| 208 | 6    | 17-Sep-24 | 1245       | 1345     | 41.1279     | 77.79              | 25.18                 | 1009076          |                            |                          |
| 209 | 6    | 17-Sep-24 | 1345       | 1445     | 39.63312    | 74.2               | 23.74                 | 1019405.7        |                            |                          |
| 210 | 6    | 17-Sep-24 | 1445       | 1545     | 27.23365    | 50.98              | 15.63                 | 975468.5         | End of Day                 | 18.353                   |
| 211 | 6    | 18-Sep-24 | 0713       | 0813     | 14.10098    | 29.58              | 4.36                  | 831903.6         | Tank 6 damper open at 0719 |                          |
| 212 | 6    | 18-Sep-24 | 0813       | 0913     | 41.96977    | 87.99              | 17.39                 | 899552.8         |                            |                          |
| 213 | 6    | 18-Sep-24 | 0913       | 1013     | 43.25459    | 85.51              | 24.06                 | 972400.1         |                            |                          |
| 214 | 6    | 18-Sep-24 | 1013       | 1113     | 38.37.136   | 71                 | 17.87                 | 1029225.1        |                            |                          |
| 215 | 6    | 18-Sep-24 | 1113       | 1213     | 35.54381    | 68.86              | 15.28                 | 983027.3         |                            |                          |
| 216 | 6    | 18-Sep-24 | 1213       | 1313     | 32.78894    | 64.02              | 14.34                 | 977487.3         |                            |                          |
| 217 | 6    | 18-Sep-24 | 1313       | 1413     | 28.94777    | 56.24              | 12.4                  | 983141.5         |                            |                          |
| 218 | 6    | 18-Sep-24 | 1413       | 1513     | 26.01305    | 49.55              | 8.7                   | 1002275.2        |                            |                          |
| 219 | 6    | 18-Sep-24 | 1513       | 1603     | 12.7299     | 25.63              | 5.3                   | 701874.4         | End of Day                 | 13.300                   |
| 220 | 6    | 19-Sep-24 | 0700       | 0800     | 7.78445     | 15.48              | 1.54                  | 852093.1         | Tank 6 damper open at 0707 |                          |
| 221 | 6    | 19-Sep-24 | 0800       | 0900     | 15.05505    | 30.14              | 4.74                  | 941104.5         |                            |                          |
| 222 | 6    | 19-Sep-24 | 0900       | 1000     | 15.89738    | 31.8               | 6.01                  | 944222.7         |                            |                          |
| 223 | 6    | 19-Sep-24 | 1000       | 1100     | 7.82937     | 15.74              | 2.41                  | 940818           |                            |                          |
| 224 | 6    | 19-Sep-24 | 1100       | 1200     | 15.53583    | 29.49              | 6.88                  | 1004179.6        |                            |                          |
| 225 | 6    | 19-Sep-24 | 1200       | 1300     | 14.89601    | 25.98              | 5.67                  | 1093549.2        |                            |                          |
| 226 | 6    | 19-Sep-24 | 1300       | 1400     | 13.69673    | 23.92              | 4.75                  | 1092086.3        |                            |                          |
| 227 | 6    | 19-Sep-24 | 1400       | 1500     | 12.8195     | 21.62              | 4.2                   | 1134305.9        |                            |                          |
| 228 | 6    | 19-Sep-24 | 1500       | 1600     | 9.84012     | 17.3               | 2.92                  | 1007152.5        | End of Day                 | 4.347                    |
| 229 | 6    | 20-Sep-24 | 0722       | 0822     | 6.9724      | 13.27              | 2.48                  | 869085.4         | Tank 6 damper open at 0730 |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 230  | 6    | 20-Sep-24 | 0822       | 0922     | 10.00877    | 19.29              | 4.45                  | 981263.8         |                            |                          |
| 231  | 6    | 20-Sep-24 | 0922       | 1022     | 9.54347     | 18.15              | 4.45                  | 996176.4         |                            |                          |
| 232  | 6    | 20-Sep-24 | 1022       | 1122     | 8.64026     | 16.48              | 3.75                  | 994371.9         |                            |                          |
| 233  | 6    | 20-Sep-24 | 1122       | 1222     | 7.68909     | 14.94              | 3.59                  | 980188.5         |                            |                          |
| 234  | 6    | 20-Sep-24 | 1222       | 1322     | 7.26355     | 13.84              | 3.02                  | 998738.4         |                            |                          |
| 235  | 6    | 20-Sep-24 | 1322       | 1422     | 6.85988     | 12.93              | 2.5                   | 1008979.4        |                            |                          |
| 236  | 6    | 20-Sep-24 | 1422       | 1522     | 6.40192     | 12.08              | 2.34                  | 1009492.1        |                            |                          |
| 237  | 6    | 20-Sep-24 | 1522       | 1622     | 1.98778     | 4.49               | 1.32                  | 343321.6         | End of Day                 | 3.100                    |
| <i>SEP 23-24, 2024: No active ventilation activities. Flowmeter Troubleshooting. Notified DOH.</i> |      |           |            |          |             |                    |                       |                  |                            |                          |
| 238  | 6    | 25-Sep-24 | 1000       | 1100     | 9.43194     | 23.87              | 7.4                   | 763047.4         | Tank 6 damper open at 1001 |                          |
| 239  | 6    | 25-Sep-24 | 1100       | 1200     | 14.99134    | 25.8               | 5.66                  | 1105379.7        |                            |                          |
| 240  | 6    | 25-Sep-24 | 1200       | 1300     | 12.72949    | 21.26              | 4.11                  | 1143296          |                            |                          |
| 241  | 6    | 25-Sep-24 | 1300       | 1400     | 11.02534    | 18.06              | 3.31                  | 1166639.3        |                            |                          |
| 242  | 6    | 25-Sep-24 | 1400       | 1500     | 9.51268     | 15.53              | 2.11                  | 1170014          |                            |                          |
| 243  | 6    | 25-Sep-24 | 1500       | 1600     | 7.73232     | 13.22              | 1.59                  | 1111305.7        |                            |                          |
| 244  | 6    | 25-Sep-24 | 1600       | 1621     | 0.42811     | 1.74               | 0.96                  | 134978.6         |                            | 3.591                    |
| 245  | 6    | 26-Sep-24 | 0718       | 0818     | 4.66399     | 8.42               | 0.36                  | 1010125          | Tank 6 damper open at 0721 |                          |
| 246  | 6    | 26-Sep-24 | 0818       | 0918     | 7.15401     | 12.31              | 1.05                  | 1100233.4        |                            |                          |
| 247  | 6    | 26-Sep-24 | 0918       | 1018     | 6.92677     | 11.22              | 0.88                  | 1171742.4        |                            |                          |
| 248  | 6    | 26-Sep-24 | 1018       | 1118     | 6.18641     | 10.05              | 0.37                  | 1170596.2        |                            |                          |
| 249  | 6    | 26-Sep-24 | 1118       | 1218     | 5.41969     | 8.89               | 0.22                  | 1162651.5        |                            |                          |
| 250  | 6    | 26-Sep-24 | 1218       | 1318     | 4.9801      | 8.05               | 0.22                  | 1179941.8        |                            |                          |
| 251  | 6    | 26-Sep-24 | 1318       | 1418     | 4.59404     | 7.46               | 0.22                  | 1177402          |                            |                          |
| 252  | 6    | 26-Sep-24 | 1418       | 1518     | 4.27109     | 6.94               | 0.23                  | 1178288.4        |                            |                          |
| 253  | 6    | 26-Sep-24 | 1518       | 1618     | 2.37034     | 5.23               | 0.27                  | 661341.5         | End of Day                 | 0.424                    |
| 254  | 6    | 27-Sep-24 | 0929       | 1029     | 2.73298     | 4.54               | 0.22                  | 1067355.1        | Tank 6 damper open at 0929 |                          |
| 255  | 6    | 27-Sep-24 | 1029       | 1129     | 4.52315     | 7.31               | 0.22                  | 1174850.5        |                            |                          |
| 256  | 6    | 27-Sep-24 | 1129       | 1229     | 4.17948     | 6.82               | 0.22                  | 1165812.1        |                            |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#   | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-------|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 257   | 6    | 27-Sep-24 | 1229       | 1329     | 3.8785      | 6.43               | 0.22                  | 1149604.6        |                              |                          |
| 258   | 6    | 27-Sep-24 | 1329       | 1429     | 3.54243     | 5.92               | 0.22                  | 1140948.5        |                              |                          |
| 259   | 6    | 27-Sep-24 | 1429       | 1529     | 2.94928     | 5.21               | 0.22                  | 1068011.4        |                              |                          |
| 260   | 6    | 27-Sep-24 | 1529       | 1546     | 0.35748     | 0.88               | 0.22                  | 205467.6         | End of Day                   | 0.220                    |
| 260.1 | 6    | 30-Sep-24 | 0700       | 0800     | 3.87385     | 7.34               | 0.8                   | 909921.4         | Tank 6 damper open at 0708   |                          |
| 260.2 | 6    | 30-Sep-24 | 0800       | 0900     | 6.44872     | 10.64              | 1.62                  | 1138629.9        |                              |                          |
| 261   | 6    | 30-Sep-24 | 0900       | 1000     | 5.62967     | 9.32               | 1.62                  | 1139252.8        |                              |                          |
| 262   | 6    | 30-Sep-24 | 1000       | 1100     | 2.08121     | 4.73               | 0.55                  | 789902.5         |                              |                          |
| 263   | 6    | 30-Sep-24 | 1100       | 1200     | 0.61896     | 1.61               | 0.22                  | 725793.4         |                              |                          |
| 264   | 6    | 30-Sep-24 | 1200       | 1207     | 0.05004     | 0.15               | 0.22                  | 71233.2          | End of Day                   | 0.838                    |
| 265   | 5    | 1-Oct-24  | 1257       | 1357     | 7.27283     | 16.48              | 1.03                  | 835694           | Tank 5 damper open at 1257   |                          |
| 266   | 5    | 1-Oct-24  | 1357       | 1457     | 18.87916    | 39.39              | 4.51                  | 903372.1         |                              |                          |
| 267   | 5    | 1-Oct-24  | 1457       | 1557     | 37.39738    | 75.65              | 12.21                 | 943616.7         |                              |                          |
| 268   | 5    | 1-Oct-24  | 1557       | 1657     | 27.44879    | 54.97              | 11.27                 | 947943           |                              |                          |
| 269   | 5    | 1-Oct-24  | 1657       | 1731     | 6.0446      | 13.27              | 4.12                  | 432701.6         | End of Day                   | 6.628                    |
| 270   | 5    | 2-Oct-24  | 0749       | 0849     | 20.49499    | 41.16              | 5.01                  | 756530.4         | Tank 5 damper opened at 0801 |                          |
| 271   | 5    | 2-Oct-24  | 0849       | 0949     | 43.0728     | 79.56              | 11.85                 | 1020675.9        |                              |                          |
| 272   | 5    | 2-Oct-24  | 0949       | 1049     | 37.57748    | 70.71              | 10.06                 | 1007219.7        |                              |                          |
| 273   | 5    | 2-Oct-24  | 1049       | 1149     | 39.21007    | 75                 | 11.8                  | 995002.6         |                              |                          |
| 274   | 5    | 2-Oct-24  | 1149       | 1249     | 25.01288    | 49.02              | 8.53                  | 958089.3         |                              |                          |
| 275   | 5    | 2-Oct-24  | 1249       | 1349     | 8.32321     | 25.67              | 2.45                  | 614385.4         |                              |                          |
| 276   | 5    | 2-Oct-24  | 1349       | 1449     | 24.42809    | 48.54              | 10.25                 | 888343           |                              |                          |
| 277   | 5    | 2-Oct-24  | 1449       | 1541     | 11.02408    | 24.84              | 6.75                  | 605601           | End of Day                   | 8.338                    |
| 278   | 5    | 3-Oct-24  | 0800       | 0900     | 2.79838     | 6.59               | 1.31                  | 275957.4         | Tank 5 damper opened at 0842 |                          |
| 279   | 5    | 3-Oct-24  | 0900       | 1000     | 28.02085    | 61.62              | 14.11                 | 846705.6         |                              |                          |
| 280   | 5    | 3-Oct-24  | 1000       | 1100     | 40.7737     | 87.06              | 23.69                 | 888117           |                              |                          |
| 281   | 5    | 3-Oct-24  | 1100       | 1200     | 36.10343    | 77.33              | 19.36                 | 884551.7         |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date     | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|-----|------|----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 282 | 5    | 3-Oct-24 | 1200       | 1300     | 34.1088     | 72.86              | 19.29                 | 89104            |                            |                          |
| 283 | 5    | 3-Oct-24 | 1300       | 1400     | 32.75551    | 69.79              | 18.39                 | 893863.3         |                            |                          |
| 284 | 5    | 3-Oct-24 | 1400       | 1500     | 34.63645    | 73.16              | 19.37                 | 899665           |                            |                          |
| 285 | 5    | 3-Oct-24 | 1500       | 1544     | 9.11168     | 19.73              | 6.71                  | 618533.3         | End of Day                 | 15.279                   |
| 286 | 5    | 4-Oct-24 | 0700       | 0800     | 0.86117     | 1.8                | 0.2                   | 739980.3         | Tank 5 damper open at 0755 |                          |
| 287 | 5    | 4-Oct-24 | 0800       | 0900     | 41.21694    | 83.91              | 20.5                  | 923482.7         |                            |                          |
| 288 | 5    | 4-Oct-24 | 0900       | 1000     | 39.55765    | 80.68              | 21.71                 | 925725.1         |                            |                          |
| 289 | 5    | 4-Oct-24 | 1000       | 1100     | 34.18511    | 69.48              | 17.74                 | 931589.6         |                            |                          |
| 290 | 5    | 4-Oct-24 | 1100       | 1200     | 32.24554    | 65.8               | 16.38                 | 928468.8         |                            |                          |
| 291 | 5    | 4-Oct-24 | 1200       | 1300     | 34.46933    | 73.76              | 18.93                 | 887684.3         |                            |                          |
| 292 | 5    | 4-Oct-24 | 1300       | 1400     | 12.32151    | 29.51              | 6.31                  | 778064.2         |                            |                          |
| 293 | 5    | 4-Oct-24 | 1400       | 1405     | 0.11886     | 0.83               | 1.56                  | 22630.4          | End of Day                 | 12.916                   |
| 294 | 5    | 7-Oct-24 | 0707       | 0807     | 29.85564    | 78.95              | 13.97                 | 698455.9         | Tank 5 damper open at 0710 |                          |
| 295 | 5    | 7-Oct-24 | 0807       | 0907     | 37.90857    | 93.88              | 21.5                  | 757709.9         |                            |                          |
| 296 | 5    | 7-Oct-24 | 0907       | 1007     | 39.27757    | 88.51              | 23.71                 | 838753.5         |                            |                          |
| 297 | 5    | 7-Oct-24 | 1007       | 1107     | 38.78866    | 82.29              | 23.82                 | 892994.4         |                            |                          |
| 298 | 5    | 7-Oct-24 | 1107       | 1207     | 40.92936    | 81.61              | 25.58                 | 953572           |                            |                          |
| 299 | 5    | 7-Oct-24 | 1207       | 1307     | 38.80428    | 73.23              | 22.75                 | 1011011          |                            |                          |
| 300 | 5    | 7-Oct-24 | 1307       | 1407     | 38.47001    | 64.34              | 19.69                 | 1142397.7        |                            |                          |
| 301 | 5    | 7-Oct-24 | 1407       | 1507     | 33.97       | 56.42              | 15.74                 | 1148583.4        |                            |                          |
| 302 | 5    | 7-Oct-24 | 1507       | 1555     | 10.0526     | 21.02              | 5.56                  | 652326.3         | End of Day                 | 19.147                   |
| 303 | 5    | 8-Oct-24 | 0700       | 0800     | 22.70166    | 37.64              | 6.76                  | 929584           | Tank 5 damper open at 0713 |                          |
| 304 | 5    | 8-Oct-24 | 0800       | 0900     | 27.83051    | 45.26              | 9.4                   | 1161288.2        |                            |                          |
| 305 | 5    | 8-Oct-24 | 0900       | 1000     | 19.46721    | 30.64              | 7.6                   | 1162532.5        |                            |                          |
| 306 | 5    | 8-Oct-24 | 1000       | 1100     | 17.09092    | 27.98              | 6.65                  | 1158787.7        |                            |                          |
| 307 | 5    | 8-Oct-24 | 1100       | 1200     | 14.81543    | 24.5               | 5.49                  | 1151162.8        |                            |                          |
| 308 | 5    | 8-Oct-24 | 1200       | 1300     | 13.24448    | 21.82              | 4.52                  | 1157527.6        |                            |                          |
| 309 | 5    | 8-Oct-24 | 1300       | 1400     | 11.79037    | 19.45              | 3.7                   | 1155550          |                            |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#   | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|---|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 310   | 5    | 8-Oct-24  | 1400       | 1500     | 10.53102    | 17.34              | 3                     | 1158455.2        |                            |                          |
| 311   | 5    | 8-Oct-24  | 1500       | 1600     | 5.33106     | 11.31              | 1.76                  | 703076.2         | End of Day                 | 5.431                    |
| <i>OCT 09, 2024: No active ventilation activities. Maintenance. Notified DOH.</i> |      |           |            |          |             |                    |                       |                  |                            |                          |
| 312   | 5    | 10-Oct-24 | 0700       | 0800     | 0.35241     | 0.84               | 0.31                  | 413624.9         | Tank 5 damper open at 0733 |                          |
| 313   | 5    | 10-Oct-24 | 0800       | 0900     | 1.02609     | 2.21               | 0.21                  | 868464.2         |                            |                          |
| 314   | 5    | 10-Oct-24 | 0900       | 1000     | 1.13992     | 2.32               | 0.22                  | 927103.7         |                            |                          |
| 315   | 5    | 10-Oct-24 | 1000       | 1100     | 0.81783     | 1.67               | 0.22                  | 927362.7         |                            |                          |
| 316   | 5    | 10-Oct-24 | 1100       | 1200     | 0.63149     | 1.29               | 0.22                  | 927077.4         |                            |                          |
| 317   | 5    | 10-Oct-24 | 1200       | 1300     | 0.61708     | 1.29               | 0.22                  | 911112.5         |                            |                          |
| 318   | 5    | 10-Oct-24 | 1300       | 1400     | 0.51336     | 1.07               | 0.22                  | 906842.7         |                            |                          |
| 319   | 5    | 10-Oct-24 | 1400       | 1500     | 0.0448      | 0.35               | 0.22                  | 139652.7         | End of Day                 | 0.230                    |
| 320   | 5    | 11-Oct-24 | 1200       | 1300     | 0.55846     | 1.13               | 0.22                  | 709693.1         | Tank 5 Damper Open at 1216 |                          |
| 321   | 5    | 11-Oct-24 | 1300       | 1400     | 0.62676     | 1.22               | 0.22                  | 978965.4         |                            |                          |
| 322   | 5    | 11-Oct-24 | 1400       | 1500     | 0.40936     | 0.92               | 0.23                  | 731016.6         | End of Day                 | 0.223                    |
| 323   | 5    | 14-Oct-24 | 0700       | 0800     | 1.1862      | 2.27               | 0.23                  | 770964.9         | Tank 5 Damper Open at 0716 |                          |
| 324   | 5    | 14-Oct-24 | 0800       | 0900     | 8.15946     | 13.64              | 1.87                  | 1080348.3        |                            |                          |
| 325   | 5    | 14-Oct-24 | 0900       | 1000     | 12.69208    | 21.77              | 4                     | 1097636.6        |                            |                          |
| 326   | 5    | 14-Oct-24 | 1000       | 1100     | 10.77848    | 19.34              | 3.8                   | 1055096.6        |                            |                          |
| 327   | 5    | 14-Oct-24 | 1100       | 1200     | 11.32593    | 20.54              | 4.5                   | 1047120.3        |                            |                          |
| 328   | 5    | 14-Oct-24 | 1200       | 1300     | 9.30188     | 16.94              | 3.41                  | 1043698.4        |                            |                          |
| 329   | 5    | 14-Oct-24 | 1300       | 1400     | 8.41426     | 15.39              | 2.57                  | 1039485.4        |                            |                          |
| 330   | 5    | 14-Oct-24 | 1400       | 1500     | 6.04892     | 11.47              | 1.55                  | 958042.4         | End of Day                 | 2.741                    |
| 331   | 5    | 15-Oct-24 | 1100       | 1200     | 0.61568     | 1.37               | 0.22                  | 744893.1         | Tank 5 Damper Open at 1128 |                          |
| 332   | 5    | 15-Oct-24 | 1200       | 1300     | 3.27077     | 7.28               | 0.22                  | 853128.1         |                            |                          |
| 333   | 5    | 15-Oct-24 | 1300       | 1400     | 3.71953     | 8.3                | 0.42                  | 851696.2         |                            |                          |
| 334   | 5    | 15-Oct-24 | 1400       | 1500     | 6.78308     | 12.25              | 1.79                  | 989825.6         |                            |                          |
| 335   | 5    | 15-Oct-24 | 1500       | 1600     | 4.08569     | 9.24               | 1.97                  | 494985.6         | End of Day                 | 0.924                    |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes  | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|--|--------------------------|
| 336  | 5    | 16-Oct-24 | 0800       | 0900     | 5.9348      | 13.73              | 2.05                  | 691040.3         | Tank 5 Damper Open at 0812                   |                          |
| 337  | 5    | 16-Oct-24 | 0900       | 1000     | 13.16307    | 27.88              | 5.31                  | 889593           |  |                          |
| 338  | 5    | 16-Oct-24 | 1000       | 1100     | 11.73956    | 23.08              | 4.04                  | 961973.3         |  |                          |
| 339  | 5    | 16-Oct-24 | 1100       | 1200     | 9.82415     | 19.34              | 3.01                  | 963092.1         |  |                          |
| 340  | 5    | 16-Oct-24 | 1200       | 1300     | 9.95557     | 17.04              | 2.6                   | 1111880.1        |  |                          |
| 341  | 5    | 16-Oct-24 | 1300       | 1400     | 8.68796     | 14.71              | 2.23                  | 1125984          |  |                          |
| 342  | 5    | 16-Oct-24 | 1400       | 1500     | 7.32267     | 12.4               | 1.54                  | 1125272          |  |                          |
| 343  | 5    | 16-Oct-24 | 1500       | 1600     | 5.65612     | 10.58              | 0.75                  | 1008746.6        | End of Day                                   | 2.691                    |
| 344  | 5    | 17-Oct-24 | 0600       | 0700     | 0.0074      | 0.12               | 0.21                  | 113303.1         | Tank Damper Open at 0651 - Cal Data included |                          |
| 345  | 5    | 17-Oct-24 | 0700       | 0800     | 5.00019     | 8.21               | 0.21                  | 1110671.6        |  |                          |
| 346  | 5    | 17-Oct-24 | 0800       | 0900     | 5.70356     | 9.32               | 0.21                  | 1155279.6        |  |                          |
| 347  | 5    | 17-Oct-24 | 0900       | 1000     | 4.95417     | 8.09               | 0.21                  | 1159554.7        |  |                          |
| 348  | 5    | 17-Oct-24 | 1000       | 1100     | 4.30665     | 7.05               | 0.22                  | 1159944.5        |  |                          |
| 349  | 5    | 17-Oct-24 | 1100       | 1200     | 3.8537      | 6.32               | 0.22                  | 1160626.9        |  |                          |
| 350  | 5    | 17-Oct-24 | 1200       | 1300     | 3.51495     | 5.77               | 0.22                  | 1161387.9        |  |                          |
| 351  | 5    | 17-Oct-24 | 1300       | 1400     | 3.25665     | 5.34               | 0.22                  | 1164673.3        |  |                          |
| 352  | 5    | 17-Oct-24 | 1400       | 1500     | 2.62418     | 4.57               | 0.22                  | 1056832.4        | End of Day                                   | 0.216                    |
| <p><i>OCT 18, 2024 - MAR 11, 2025: Tank ventilation activities for Tanks 5 and 6 complete. NCTF-RH has met the DOH requirement of below 4.82 lbs/hr undiluted total VOC concentrations and demonstrated readings below 15 ppmv from Tank 5 on OCT 17, 2024. Tanks 5 and 6 disconnected and manway removed. No active forced ventilation activities. Notified DOH. Preparatory work for Tank 3 ventilation.</i></p> |      |           |            |          |             |                    |                       |                  |  |                          |
| 353  | 3    | 12-Mar-25 | 0943       | 1043     | 4.13647     | 8.6                | 0.69                  | 894225.6         | Ventilation hooked up 1025                   |                          |
| 354  | 3    | 12-Mar-25 | 1043       | 1143     | 9.10953     | 18.51              | 2.53                  | 915741.6         |  |                          |
| 355  | 3    | 12-Mar-25 | 1143       | 1243     | 10.87739    | 21.8               | 3.14                  | 937700.3         |  |                          |
| 356  | 3    | 12-Mar-25 | 1243       | 1343     | 16.21901    | 34.32              | 5.44                  | 914505           |  |                          |
| 357  | 3    | 12-Mar-25 | 1343       | 1443     | 11.15354    | 22.33              | 3.17                  | 941888.91        |  |                          |
| 358  | 3    | 12-Mar-25 | 1443       | 1543     | 4.1563      | 9.13               | 0.76                  | 739689.5         | End of Day                                   | 2.622                    |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 359 | 3    | 13-Mar-25 | 1000       | 1100     | 6.16148     | 12.01              | 1.82                  | 952343           | Tank Damper Open at 1000     |                          |
| 360 | 3    | 13-Mar-25 | 1100       | 1200     | 19.39351    | 35.33              | 6.43                  | 989189.3         |                              |                          |
| 361 | 3    | 13-Mar-25 | 1200       | 1300     | 41.38053    | 75.74              | 17.45                 | 1027603.3        |                              |                          |
| 362 | 3    | 13-Mar-25 | 1300       | 1400     | 40.87304    | 75.9               | 19.16                 | 1013483.3        |                              |                          |
| 363 | 3    | 13-Mar-25 | 1400       | 1500     | 41.08988    | 72.79              | 20.8                  | 1064454.3        |                              |                          |
| 364 | 3    | 13-Mar-25 | 1500       | 1600     | 22.36725    | 46.9               | 13.06                 | 730865.2         | End of Day                   | 13.120                   |
| 365 | 3    | 14-Mar-25 | 0725       | 0825     | 26.97254    | 48.15              | 8.75                  | 960207           | Tank 3 Damper opened at 0730 |                          |
| 366 | 3    | 14-Mar-25 | 0825       | 0925     | 42.92606    | 75.22              | 18.7                  | 1067148.6        |                              |                          |
| 367 | 3    | 14-Mar-25 | 0925       | 1025     | 42.44598    | 76.93              | 23.59                 | 1034676          |                              |                          |
| 368 | 3    | 14-Mar-25 | 1025       | 1125     | 45.2636     | 81.16              | 28.85                 | 1047437.8        |                              |                          |
| 369 | 3    | 14-Mar-25 | 1125       | 1225     | 41.41518    | 74.84              | 28.91                 | 1042930.6        |                              |                          |
| 370 | 3    | 14-Mar-25 | 1225       | 1325     | 37.13818    | 66.21              | 26.82                 | 1059094          |                              |                          |
| 371 | 3    | 14-Mar-25 | 1325       | 1425     | 36.07184    | 64.74              | 28.04                 | 1053106.2        |                              |                          |
| 372 | 3    | 14-Mar-25 | 1425       | 1525     | 31.62943    | 58.67              | 25.38                 | 1013867.3        |                              |                          |
| 373 | 3    | 14-Mar-25 | 1525       | 1603     | 5.464       | 12.17              | 4.51                  | 517214.6         | End of Day                   | 21.506                   |
| 374 | 3    | 17-Mar-25 | 0659       | 0759     | 4.52866     | 9.08               | 1.02                  | 376736.5         | Tank 3 Damper Opened at 0744 |                          |
| 375 | 3    | 17-Mar-25 | 0759       | 0859     | 41.47654    | 71.52              | 12.65                 | 1083857.9        |                              |                          |
| 376 | 3    | 17-Mar-25 | 0859       | 0959     | 41.16186    | 71.25              | 17.46                 | 1081754.4        |                              |                          |
| 377 | 3    | 17-Mar-25 | 0959       | 1059     | 43.85716    | 75.84              | 25.43                 | 1085076.6        |                              |                          |
| 378 | 3    | 17-Mar-25 | 1059       | 1159     | 40.92496    | 70.52              | 27.43                 | 1092536.7        |                              |                          |
| 379 | 3    | 17-Mar-25 | 1159       | 1259     | 36.91758    | 63.51              | 26.65                 | 1096512.8        |                              |                          |
| 380 | 3    | 17-Mar-25 | 1259       | 1359     | 44.12665    | 72.91              | 27.87                 | 1142431          |                              |                          |
| 381 | 3    | 17-Mar-25 | 1359       | 1459     | 41.92108    | 69.19              | 26.7                  | 1139434.4        |                              |                          |
| 382 | 3    | 17-Mar-25 | 1459       | 1559     | 22.82815    | 38.68              | 10.91                 | 1060090          | End of Day                   | 19.569                   |
| 383 | 3    | 18-Mar-25 | 0705       | 0805     | 10.1582     | 17.1               | 2.98                  | 962833.6         | Tank 3 Damper Opened at 0745 |                          |
| 384 | 3    | 18-Mar-25 | 0805       | 0905     | 40.65321    | 66.6               | 20.05                 | 1139773.5        |                              |                          |
| 385 | 3    | 18-Mar-25 | 0905       | 1005     | 44.22333    | 71.85              | 24.47                 | 1154542.5        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 386 | 3    | 18-Mar-25 | 1005       | 1105     | 42.6671     | 69.29              | 24.19                 | 1157977.8        |                              |                          |
| 387 | 3    | 18-Mar-25 | 1105       | 1205     | 41.4034     | 67.2               | 22.95                 | 1160721.8        |                              |                          |
| 388 | 3    | 18-Mar-25 | 1205       | 1305     | 39.79871    | 64.41              | 21.49                 | 1160566.6        |                              |                          |
| 389 | 3    | 18-Mar-25 | 1305       | 1405     | 38.61469    | 61.05              | 20.11                 | 1191210          |                              |                          |
| 390 | 3    | 18-Mar-25 | 1405       | 1505     | 38.56058    | 57.97              | 18.86                 | 1255230.7        |                              |                          |
| 391 | 3    | 18-Mar-25 | 1505       | 1558     | 14.97842    | 28.63              | 7.15                  | 800503.9         | End of Day                   | 18.028                   |
| 392 | 3    | 19-Mar-25 | 0705       | 0805     | 1.66884     | 2.99               | 0.33                  | 642620.6         | Tank 3 Damper Opened at 0747 |                          |
| 393 | 3    | 19-Mar-25 | 0805       | 0905     | 34.73363    | 57.21              | 7.51                  | 1129333.3        |                              |                          |
| 394 | 3    | 19-Mar-25 | 0905       | 1005     | 24.67296    | 40.55              | 9.37                  | 1136387.1        |                              |                          |
| 395 | 3    | 19-Mar-25 | 1005       | 1105     | 34.87284    | 55.43              | 9.54                  | 1178097.6        |                              |                          |
| 396 | 3    | 19-Mar-25 | 1105       | 1205     | 34.1778     | 56.83              | 8.81                  | 1129024.7        |                              |                          |
| 397 | 3    | 19-Mar-25 | 1205       | 1305     | 32.9967     | 54.04              | 8.56                  | 1148842.7        |                              |                          |
| 398 | 3    | 19-Mar-25 | 1305       | 1405     | 31.67498    | 52.14              | 8.69                  | 1143586.8        |                              |                          |
| 399 | 3    | 19-Mar-25 | 1405       | 1505     | 28.59699    | 49.01              | 8.12                  | 1096769.9        |                              |                          |
| 400 | 3    | 19-Mar-25 | 1505       | 1548     | 1.74532     | 3.43               | 2.88                  | 250591.5         | End of Day                   | 7.090                    |
| 401 | 3    | 20-Mar-25 | 0830       | 0930     | 8.59307     | 15.4               | 1.26                  | 795292           | Tank 3 Damper Opened at 0852 |                          |
| 402 | 3    | 20-Mar-25 | 0930       | 1030     | 23.0184     | 39.13              | 3.11                  | 1101107.8        |                              |                          |
| 403 | 3    | 20-Mar-25 | 1030       | 1130     | 32.75019    | 53.65              | 7.55                  | 1149091.3        |                              |                          |
| 404 | 3    | 20-Mar-25 | 1130       | 1230     | 32.18907    | 52.69              | 7.97                  | 1152464.5        |                              |                          |
| 405 | 3    | 20-Mar-25 | 1230       | 1330     | 34.71477    | 57.2               | 9.09                  | 1146774.2        |                              |                          |
| 406 | 3    | 20-Mar-25 | 1330       | 1430     | 36.06824    | 60.13              | 12.35                 | 1134528.9        |                              |                          |
| 407 | 3    | 20-Mar-25 | 1430       | 1530     | 34.95029    | 59.99              | 14.84                 | 1094274          |                              |                          |
| 408 | 3    | 20-Mar-25 | 1530       | 1556     | 4.15346     | 9                  | 2.85                  | 374629.7         | End of Day                   | 7.378                    |
| 409 | 3    | 21-Mar-25 | 0715       | 0815     | 28.9425     | 52.65              | 4.31                  | 1000306.8        | Tank 3 open at 0725          |                          |
| 410 | 3    | 21-Mar-25 | 0815       | 0915     | 27.13364    | 49.12              | 6.48                  | 1032646.1        |                              |                          |
| 411 | 3    | 21-Mar-25 | 0915       | 1015     | 30.5355     | 53.87              | 10.89                 | 1061202.5        |                              |                          |
| 412 | 3    | 21-Mar-25 | 1015       | 1115     | 35.5923     | 60.45              | 15.92                 | 1108941.6        |                              |                          |
| 413 | 3    | 21-Mar-25 | 1115       | 1215     | 36.05506    | 61.09              | 16.3                  | 1114601.5        |                              |                          |
| 414 | 3    | 21-Mar-25 | 1215       | 1315     | 36.23004    | 61.89              | 17.06                 | 1107243.7        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 415 | 3    | 21-Mar-25 | 1315       | 1415     | 35.63676    | 61.18              | 16.86                 | 1104369          |                              |                          |
| 416 | 3    | 21-Mar-25 | 1415       | 1515     | 29.27432    | 50.19              | 11.88                 | 1089032.8        |                              |                          |
| 417 | 3    | 21-Mar-25 | 1515       | 1542     | 1.37667     | 8.66               | 3.15                  | 116755.3         | End of Day                   | 11.428                   |
| 418 | 3    | 24-Mar-25 | 0659       | 0759     | 5.01085     | 10.06              | 0.88                  | 363051.1         | Tank 3 Damper open at 0742   |                          |
| 419 | 3    | 24-Mar-25 | 0759       | 0859     | 36.27714    | 63.59              | 8                     | 1061223.2        |                              |                          |
| 420 | 3    | 24-Mar-25 | 0859       | 0959     | 38.74638    | 64.89              | 12.51                 | 1118874.2        |                              |                          |
| 421 | 3    | 24-Mar-25 | 0959       | 1059     | 39.05735    | 66.36              | 15.34                 | 1108027.3        |                              |                          |
| 422 | 3    | 24-Mar-25 | 1059       | 1159     | 35.92486    | 61.27              | 14.43                 | 1109042.4        |                              |                          |
| 423 | 3    | 24-Mar-25 | 1159       | 1259     | 35.36784    | 57.63              | 14.68                 | 1165512.3        |                              |                          |
| 424 | 3    | 24-Mar-25 | 1259       | 1359     | 28.96096    | 48.76              | 11.74                 | 1127445.4        |                              |                          |
| 425 | 3    | 24-Mar-25 | 1359       | 1459     | 25.08029    | 43.49              | 9.9                   | 1097446          |                              |                          |
| 426 | 3    | 24-Mar-25 | 1459       | 1559     | 20.34053    | 39.06              | 5.51                  | 939783.9         | End of Day                   | 10.332                   |
| 427 | 3    | 25-Mar-25 | 0720       | 0820     | 5.08796     | 9.91               | 1.01                  | 775562.8         | Tank 3 Damper open 0808      |                          |
| 428 | 3    | 25-Mar-25 | 0820       | 0920     | 26.47638    | 50.4               | 5.87                  | 978541.7         |                              |                          |
| 429 | 3    | 25-Mar-25 | 0920       | 1005     | 34.05441    | 60.24              | 8.57                  | 1061636.1        |                              |                          |
| 430 | 3    | 25-Mar-25 | 1020       | 1120     | 31.59784    | 61.13              | 8.3                   | 970296.5         |                              |                          |
| 431 | 3    | 25-Mar-25 | 1120       | 1220     | 30.17182    | 60.09              | 9.24                  | 946521.8         |                              |                          |
| 432 | 3    | 25-Mar-25 | 1220       | 1320     | 31.52361    | 51.08              | 15.45                 | 1166211.5        |                              |                          |
| 433 | 3    | 25-Mar-25 | 1320       | 1420     | 37.99369    | 58.22              | 13.49                 | 1235745.8        |                              |                          |
| 434 | 3    | 25-Mar-25 | 1420       | 1457     | 22.42493    | 36.76              | 10.95                 | 689794.4         |                              |                          |
| 435 | 3    | 25-Mar-25 | 1536       | 1548     | 0.0026      | 3.16               | 4.68                  | 317.3            | End of Day                   | 8.618                    |
| 436 | 3    | 26-Mar-25 | 0728       | 0828     | 30.13389    | 44.94              | 5.87                  | 1223218.3        | Tank 3 Damper opened at 0729 |                          |
| 437 | 3    | 26-Mar-25 | 0828       | 0928     | 39.28538    | 58.39              | 9.13                  | 1263105.3        |                              |                          |
| 438 | 3    | 26-Mar-25 | 0928       | 1028     | 36.65596    | 54.92              | 9.44                  | 1259733          |                              |                          |
| 439 | 3    | 26-Mar-25 | 1028       | 1128     | 33.83252    | 51.09              | 9.21                  | 1256127.6        |                              |                          |
| 440 | 3    | 26-Mar-25 | 1128       | 1228     | 31.57652    | 47.86              | 8.56                  | 1254152.2        |                              |                          |
| 441 | 3    | 26-Mar-25 | 1228       | 1328     | 29.62294    | 44.87              | 8                     | 1256372.1        |                              |                          |
| 442 | 3    | 26-Mar-25 | 1328       | 1428     | 27.81881    | 42.33              | 7.34                  | 1252258.7        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 443 | 3    | 26-Mar-25 | 1428       | 1453     | 10.14613    | 16.24              | 6.67                  | 489700.4         |                              |                          |
| 444 | 3    | 26-Mar-25 | 1453       | 1527     | 4.4243      | 9.43               | 2.52                  | 505136.5         | End of Day                   | 7.416                    |
| 445 | 3    | 27-Mar-25 | 0700       | 0800     | 11.03347    | 17.54              | 2.07                  | 817384.2         | Tank 3 Damper opened at 0718 |                          |
| 446 | 3    | 27-Mar-25 | 0800       | 0900     | 26.55164    | 41.95              | 6.05                  | 1186103.4        |                              |                          |
| 447 | 3    | 27-Mar-25 | 0900       | 1000     | 27.78725    | 41.6               | 6.89                  | 1262496.3        |                              |                          |
| 448 | 3    | 27-Mar-25 | 1000       | 1100     | 25.38801    | 37.32              | 6.07                  | 1291458.7        |                              |                          |
| 449 | 3    | 27-Mar-25 | 1100       | 1200     | 23.611      | 34.99              | 5.68                  | 1284303.9        |                              |                          |
| 450 | 3    | 27-Mar-25 | 1200       | 1300     | 22.25173    | 32.98              | 5.14                  | 1286236.9        |                              |                          |
| 451 | 3    | 27-Mar-25 | 1300       | 1400     | 21.20755    | 31.4               | 4.97                  | 1289048.5        |                              |                          |
| 452 | 3    | 27-Mar-25 | 1400       | 1500     | 18.82082    | 29.17              | 4.22                  | 1222019.1        |                              |                          |
| 453 | 3    | 27-Mar-25 | 1500       | 1551     | 1.60086     | 10.32              | 2.18                  | 195956.4         | End of Day                   | 4.808                    |
| 454 | 3    | 28-Mar-25 | 0730       | 0830     | 6.19683     | 9.84               | 0.96                  | 755065.7         | Tank 3 Damper opened at 0753 |                          |
| 455 | 3    | 28-Mar-25 | 0830       | 0930     | 16.98671    | 26.09              | 2.79                  | 1223581.2        |                              |                          |
| 456 | 3    | 28-Mar-25 | 0930       | 1030     | 20.35347    | 31.45              | 3.94                  | 1221418          |                              |                          |
| 457 | 3    | 28-Mar-25 | 1030       | 1130     | 20.17033    | 31.34              | 4.24                  | 1218577.7        |                              |                          |
| 458 | 3    | 28-Mar-25 | 1130       | 1230     | 19.87771    | 29.07              | 3.75                  | 1301685.4        |                              |                          |
| 459 | 3    | 28-Mar-25 | 1230       | 1330     | 18.96126    | 27.54              | 3.4                   | 1308823.4        |                              |                          |
| 460 | 3    | 28-Mar-25 | 1330       | 1430     | 18.05987    | 25.86              | 3.03                  | 1319875.3        |                              |                          |
| 461 | 3    | 28-Mar-25 | 1430       | 1530     | 12.15164    | 20.52              | 1.95                  | 1033486.7        | End of Day                   | 3.008                    |
| 462 | 3    | 31-Mar-25 | 0705       | 0805     | 6.37709     | 11.69              | 1.03                  | 875351.9         | Tank 3 Damper Opened at 0714 |                          |
| 463 | 3    | 31-Mar-25 | 0805       | 0905     | 19.51233    | 34.68              | 4.32                  | 1054288.5        |                              |                          |
| 464 | 3    | 31-Mar-25 | 0905       | 1030     | 21.52677    | 38.32              | 5.77                  | 1056574          |                              |                          |
| 465 | 3    | 31-Mar-25 | 1005       | 1105     | 15.50575    | 30.64              | 4.51                  | 952059           |                              |                          |
| 466 | 3    | 31-Mar-25 | 1105       | 1205     | 14.02028    | 28.48              | 4.21                  | 931028.5         |                              |                          |
| 467 | 3    | 31-Mar-25 | 1205       | 1305     | 11.55277    | 24.23              | 3.05                  | 904608.2         |                              |                          |
| 468 | 3    | 31-Mar-25 | 1305       | 1405     | 7.32623     | 14.99              | 2.01                  | 931949           |                              |                          |
| 469 | 3    | 31-Mar-25 | 1405       | 1505     | 4.16192     | 8.22               | 0.95                  | 954924.1         |                              |                          |
| 470 | 3    | 31-Mar-25 | 1505       | 1605     | 3.48676     | 7.38               | 0.81                  | 895429.3         |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 471  | 3    | 31-Mar-25 | 1605       | 1613     | 0.21417     | 0.89               | 0.23                  | 55930.1          | End of Day                   | 2.689                    |
| <p><i>APR 01 - APR 04, 2025: Tank ventilation activities for Tank 3 complete. NCTF-RH has met the DOH requirement of below 4.82 lbs/hr undiluted total VOC concentrations and demonstrated readings below 15 ppmv from Tank 3 on MAY 31, 2025. Tank 3 disconnected and manway removed. No active forced ventilation activities. Notified DOH. Preparatory work for Tank 4 ventilation.</i></p> |      |           |            |          |             |                    |                       |                  |                              |                          |
| 472  | 4    | 4-Apr-25  | 0748       | 0848     | 3.37756     | 6.95               | 0.77                  | 885544.5         | Tank 4 Damper Opened at 0803 |                          |
| 473  | 4    | 4-Apr-25  | 0848       | 0948     | 7.06724     | 13.64              | 1.42                  | 947131.8         |                              |                          |
| 474  | 4    | 4-Apr-25  | 0948       | 1030     | 26.17057    | 53.02              | 10.62                 | 939203.7         |                              |                          |
| 475  | 4    | 4-Apr-25  | 1048       | 1148     | 39.82157    | 79.03              | 20.12                 | 945177.3         |                              |                          |
| 476  | 4    | 4-Apr-25  | 1148       | 1248     | 39.17611    | 77.47              | 22.29                 | 951641.6         |                              |                          |
| 477  | 4    | 4-Apr-25  | 1248       | 1348     | 28.1879     | 66.74              | 16.91                 | 781632.1         |                              |                          |
| 478  | 4    | 4-Apr-25  | 1348       | 1448     | 9.7203      | 19.6               | 2.1                   | 932239.4         |                              |                          |
| 479  | 4    | 4-Apr-25  | 1448       | 1454     | 0.28553     | 1.24               | 1.63                  | 42617.9          | End of Day                   | 9.483                    |
| 480  | 4    | 7-Apr-25  | 0645       | 0745     | 26.08825    | 50.14              | 9.55                  | 590742.9         | Tank 4 Damper Opened at 0717 |                          |
| 481  | 4    | 7-Apr-25  | 0745       | 0845     | 38.03352    | 72.28              | 13.45                 | 980193           |                              |                          |
| 482  | 4    | 7-Apr-25  | 0845       | 0945     | 40.2108     | 73.89              | 17.73                 | 1021793.1        |                              |                          |
| 483  | 4    | 7-Apr-25  | 0945       | 1045     | 36.79112    | 68.69              | 18.45                 | 1007816          |                              |                          |
| 484  | 4    | 7-Apr-25  | 1045       | 1145     | 38.67836    | 71.77              | 22.14                 | 1016791          |                              |                          |
| 485  | 4    | 7-Apr-25  | 1145       | 1245     | 38.9981     | 73.28              | 25.59                 | 1007199.9        |                              |                          |
| 486  | 4    | 7-Apr-25  | 1245       | 1345     | 38.78037    | 73.47              | 27.85                 | 1000998.4        |                              |                          |
| 487  | 4    | 7-Apr-25  | 1345       | 1445     | 33.08226    | 62.54              | 23.11                 | 1004466.7        |                              |                          |
| 488  | 4    | 7-Apr-25  | 1445       | 1545     | 13.85782    | 28.26              | 12.11                 | 625026.8         | End of Day                   | 18.887                   |
| 489  | 4    | 8-Apr-25  | 0655       | 0755     | 24.94046    | 44.85              | 9.2                   | 954642.1         | Tank 4 Damper Opened at 0705 |                          |
| 490  | 4    | 8-Apr-25  | 0755       | 0855     | 43.03948    | 78.08              | 26.31                 | 1032212.9        |                              |                          |
| 491  | 4    | 8-Apr-25  | 0855       | 955      | 41.08709    | 75.07              | 28.65                 | 1027796.7        |                              |                          |
| 492  | 4    | 8-Apr-25  | 0955       | 1055     | 38.80308    | 70.65              | 28.31                 | 1033537.7        |                              |                          |
| 493  | 4    | 8-Apr-25  | 1055       | 1155     | 36.37928    | 66.37              | 27.21                 | 1033223.2        |                              |                          |
| 494  | 4    | 8-Apr-25  | 1155       | 1255     | 37.00515    | 67.28              | 28.77                 | 1039080.5        |                              |                          |
| 495  | 4    | 8-Apr-25  | 1255       | 1355     | 35.5079     | 65                 | 27.87                 | 1033769.7        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 496 | 4    | 8-Apr-25  | 1355       | 1455     | 33.89253    | 62.17              | 27.35                 | 1031990.4        |                              |                          |
| 497 | 4    | 8-Apr-25  | 1455       | 1555     | 18.617      | 37.22              | 13.8                  | 852368.1         | End of Day                   | 24.163                   |
| 498 | 4    | 9-Apr-25  | 0740       | 0840     | 27.19229    | 46.71              | 7.43                  | 976424.5         | Tank 4 Damper Opened at 0747 |                          |
| 499 | 4    | 9-Apr-25  | 0840       | 0940     | 38.11494    | 64.5               | 18.7                  | 1101657.1        |                              |                          |
| 500 | 4    | 9-Apr-25  | 0940       | 1040     | 42.82313    | 72.19              | 27.7                  | 1108626.1        |                              |                          |
| 501 | 4    | 9-Apr-25  | 1040       | 1140     | 40.96669    | 68.9               | 27.61                 | 1115865.9        |                              |                          |
| 502 | 4    | 9-Apr-25  | 1140       | 1240     | 39.12519    | 65.46              | 26.56                 | 1121057.1        |                              |                          |
| 503 | 4    | 9-Apr-25  | 1240       | 1340     | 39.06344    | 62.52              | 25.93                 | 1173480.9        |                              |                          |
| 504 | 4    | 9-Apr-25  | 1340       | 1440     | 37.91742    | 62.52              | 25.4                  | 1146725.1        |                              |                          |
| 505 | 4    | 9-Apr-25  | 1440       | 1340     | 27.22854    | 47.39              | 15.08                 | 1074890.3        |                              |                          |
| 506 | 4    | 9-Apr-25  | 1540       | 1557     | 1.75955     | 4.08               | 0.22                  | 224007.7         | End of Day                   | 19.403                   |
| 507 | 4    | 10-Apr-25 | 0728       | 0828     | 32.86611    | 54.58              | 17.13                 | 1091271.3        | Tank 4 damper opened at 0737 |                          |
| 508 | 4    | 10-Apr-25 | 0828       | 0928     | 43.47709    | 72.11              | 27.24                 | 1127308.3        |                              |                          |
| 509 | 4    | 10-Apr-25 | 0928       | 1028     | 44.02743    | 70.17              | 21.16                 | 1172709.5        |                              |                          |
| 510 | 4    | 10-Apr-25 | 1028       | 1128     | 40.92999    | 65.66              | 19.42                 | 1171724.5        |                              |                          |
| 511 | 4    | 10-Apr-25 | 1128       | 1229     | 42.39366    | 68.2               | 18.6                  | 1172001.9        |                              |                          |
| 512 | 4    | 10-Apr-25 | 1228       | 1328     | 41.8416     | 64.46              | 17.03                 | 1221353.4        |                              |                          |
| 513 | 4    | 10-Apr-25 | 1328       | 1428     | 42.55303    | 64.15              | 17.54                 | 1244632.4        |                              |                          |
| 514 | 4    | 10-Apr-25 | 1428       | 1528     | 33.38112    | 52.39              | 12.7                  | 1168246.6        |                              |                          |
| 515 | 4    | 10-Apr-25 | 1528       | 1546     | 1.75797     | 4.42               | 0.27                  | 207626.3         | End of Day                   | 16.788                   |
| 516 | 4    | 11-Apr-25 | 0713       | 0813     | 24.61001    | 41.63              | 6.28                  | 926848.4         | Tank 4 damper opened at 0722 |                          |
| 517 | 4    | 11-Apr-25 | 0813       | 0913     | 35.03548    | 57.16              | 10.84                 | 1142079.3        |                              |                          |
| 518 | 4    | 11-Apr-25 | 0913       | 1013     | 34.01104    | 55.68              | 11.51                 | 1139065.1        |                              |                          |
| 519 | 4    | 11-Apr-25 | 1013       | 1113     | 32.52693    | 53.36              | 11.15                 | 1137834.6        |                              |                          |
| 520 | 4    | 11-Apr-25 | 1113       | 1213     | 23.26234    | 40.32              | 8.03                  | 1026548.3        | End of Day                   | 9.562                    |
| 521 | 4    | 14-Apr-25 | 0826       | 0926     | 22.16655    | 41.73              | 2.41                  | 904289.5         | Tank 4 damper opened at 0829 |                          |
| 522 | 4    | 14-Apr-25 | 0926       | 1026     | 32.4841     | 56.04              | 3.99                  | 1086948          |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 523 | 4    | 14-Apr-25 | 1026       | 1126     | 29.41656    | 49.88              | 3.61                  | 1109267.9        |                              |                          |
| 524 | 4    | 14-Apr-25 | 1126       | 1226     | 26.12546    | 44.8               | 3.23                  | 1100492.1        |                              |                          |
| 525 | 4    | 14-Apr-25 | 1226       | 1326     | 23.24269    | 43.89              | 4.05                  | 998206.6         |                              |                          |
| 526 | 4    | 14-Apr-25 | 1326       | 1426     | 23.24269    | 43.89              | 4.05                  | 998206.6         |                              |                          |
| 527 | 4    | 14-Apr-25 | 1426       | 1526     | 20.1357     | 41.61              | 3.88                  | 850543.1         | End of Day                   | 3.603                    |
| 528 | 4    | 15-Apr-25 | 0711       | 0811     | 15.12629    | 27.29              | 1.56                  | 932819.1         | Tank 4 damper opened at 0717 |                          |
| 529 | 4    | 15-Apr-25 | 0811       | 0911     | 22.64201    | 37.8               | 2.32                  | 1116178.2        |                              |                          |
| 530 | 4    | 15-Apr-25 | 0911       | 1011     | 18.00848    | 30.21              | 1.89                  | 1128771.2        |                              |                          |
| 531 | 4    | 15-Apr-25 | 1011       | 1111     | 24.64126    | 40.89              | 2.98                  | 1133026.7        |                              |                          |
| 532 | 4    | 15-Apr-25 | 1111       | 1211     | 26.01483    | 43.9               | 3.52                  | 1117537.4        |                              |                          |
| 533 | 4    | 15-Apr-25 | 1211       | 1311     | 28.30738    | 48.19              | 4.41                  | 1106686.5        |                              |                          |
| 534 | 4    | 15-Apr-25 | 1311       | 1411     | 40.44654    | 68.28              | 15.27                 | 1122209.2        |                              |                          |
| 535 | 4    | 15-Apr-25 | 1411       | 1511     | 37.61249    | 66.69              | 19.75                 | 1065281.7        |                              |                          |
| 536 | 4    | 15-Apr-25 | 1511       | 1556     | 14.0765     | 26.95              | 8.62                  | 684700.7         | End of Day                   | 6.702                    |
| 537 | 4    | 16-Apr-25 | 0734       | 0834     | 15.14078    | 32.53              | 4.01                  | 804109.9         | Tank 4 damper opened at 0813 |                          |
| 538 | 4    | 16-Apr-25 | 0834       | 0934     | 34.08575    | 65.13              | 13.61                 | 980640.1         |                              |                          |
| 539 | 4    | 16-Apr-25 | 934        | 1034     | 38.21242    | 72.4               | 16.73                 | 990552.7         |                              |                          |
| 540 | 4    | 16-Apr-25 | 1034       | 1134     | 42.97326    | 81.72              | 19.22                 | 988009.8         |                              |                          |
| 541 | 4    | 16-Apr-25 | 1134       | 1234     | 39.81275    | 75.12              | 18.71                 | 99221.2          |                              |                          |
| 542 | 4    | 16-Apr-25 | 1234       | 1334     | 40.96184    | 75.62              | 18.21                 | 1020270          |                              |                          |
| 543 | 4    | 16-Apr-25 | 1334       | 1434     | 44.14743    | 78.46              | 18.97                 | 1061355.8        |                              |                          |
| 544 | 4    | 16-Apr-25 | 1434       | 1534     | 21.52193    | 40.29              | 8.26                  | 978503.3         |                              |                          |
| 545 | 4    | 16-Apr-25 | 1534       | 1551     | 1.29814     | 4.28               | 2.34                  | 159885.6         | End of Day                   | 13.340                   |
| 546 | 4    | 17-Apr-25 | 0706       | 0806     | 21.9258     | 39.28              | 7.95                  | 922386.5         | Tank 4 damper opened at 0706 |                          |
| 547 | 4    | 17-Apr-25 | 0806       | 0906     | 40.23478    | 70.32              | 18.35                 | 1064777.9        |                              |                          |
| 548 | 4    | 17-Apr-25 | 0906       | 1006     | 40.63871    | 72.58              | 21.62                 | 1040129.7        |                              |                          |
| 549 | 4    | 17-Apr-25 | 1006       | 1106     | 38.50707    | 69.36              | 22.53                 | 1034434.4        |                              |                          |
| 550 | 4    | 17-Apr-25 | 1106       | 1206     | 38.16818    | 69.52              | 22.17                 | 1026128.9        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 551 | 4    | 17-Apr-25 | 1206       | 1306     | 39.11985    | 71.29              | 21.15                 | 1023548.5        |                              |                          |
| 552 | 4    | 17-Apr-25 | 1306       | 1406     | 41.74615    | 74.89              | 19.8                  | 1041803          |                              |                          |
| 553 | 4    | 17-Apr-25 | 1406       | 1506     | 26.71092    | 45.74              | 10.78                 | 1024760.1        |                              |                          |
| 554 | 4    | 17-Apr-25 | 1506       | 1522     | 1.01837     | 3.94               | 3.73                  | 123158           | End of Day                   | 16.453                   |
| 555 | 4    | 18-Apr-25 | 0650       | 0750     | 17.90963    | 26.39              | 3.11                  | 966244.8         | Tank 4 damper opened at 0722 |                          |
| 556 | 4    | 18-Apr-25 | 0750       | 0850     | 45.08631    | 63.1               | 11.31                 | 1338177.6        |                              |                          |
| 557 | 4    | 18-Apr-25 | 0850       | 0950     | 44.76001    | 63.05              | 13.34                 | 1333748.5        |                              |                          |
| 558 | 4    | 18-Apr-25 | 0950       | 1050     | 43.97253    | 61.96              | 13.84                 | 1334519.2        |                              |                          |
| 559 | 4    | 18-Apr-25 | 1050       | 1150     | 40.83303    | 57.35              | 12.3                  | 1336028.1        |                              |                          |
| 560 | 4    | 18-Apr-25 | 1150       | 1250     | 39.30586    | 55.88              | 11.24                 | 1328508.6        |                              |                          |
| 561 | 4    | 18-Apr-25 | 1250       | 1350     | 41.22892    | 58.76              | 9.21                  | 1324022.3        |                              |                          |
| 562 | 4    | 18-Apr-25 | 1350       | 1450     | 37.80449    | 53.48              | 8.07                  | 1322859.5        |                              |                          |
| 563 | 4    | 18-Apr-25 | 1450       | 1540     | 5.18377     | 14.43              | 2.7                   | 449860.7         | End of Day                   | 9.458                    |
| 564 | 4    | 21-Apr-25 | 0700       | 0800     | 23.76536    | 33.63              | 2.8                   | 1123713.6        | Tank 4 damper opened at 0717 |                          |
| 565 | 4    | 21-Apr-25 | 0800       | 0900     | 42.56408    | 59.86              | 6.36                  | 1335977.1        |                              |                          |
| 566 | 4    | 21-Apr-25 | 0900       | 1000     | 42.19205    | 60.71              | 7.91                  | 1310576.6        |                              |                          |
| 567 | 4    | 21-Apr-25 | 1000       | 1100     | 37.09462    | 52.85              | 9.78                  | 1327998.4        |                              |                          |
| 568 | 4    | 21-Apr-25 | 1100       | 1200     | 43.32354    | 64.28              | 9.25                  | 1280586.8        |                              |                          |
| 569 | 4    | 21-Apr-25 | 1200       | 1300     | 41.49457    | 62.37              | 8.49                  | 1264905.9        |                              |                          |
| 570 | 4    | 21-Apr-25 | 1300       | 1400     | 37.68842    | 54.6               | 7.24                  | 1314207.7        |                              |                          |
| 571 | 4    | 21-Apr-25 | 1400       | 1500     | 32.91991    | 48.45              | 6.19                  | 1281140.8        |                              |                          |
| 572 | 4    | 21-Apr-25 | 1500       | 1533     | 2.70025     | 8.16               | 2.18                  | 302939           | End of Day                   | 6.689                    |
| 573 | 4    | 22-Apr-25 | 0751       | 0851     | 5.31659     | 8.29               | 0.67                  | 901852.6         | Tank 4 damper opened at 0758 |                          |
| 574 | 4    | 22-Apr-25 | 0851       | 0951     | 23.81087    | 36.15              | 3.16                  | 1241783.4        |                              |                          |
| 575 | 4    | 22-Apr-25 | 0951       | 1051     | 26.18385    | 39.89              | 3.88                  | 1240726.3        |                              |                          |
| 576 | 4    | 22-Apr-25 | 1051       | 1151     | 27.69664    | 42.75              | 4.67                  | 1229427.1        |                              |                          |
| 577 | 4    | 22-Apr-25 | 1151       | 1251     | 27.84264    | 43.04              | 4.47                  | 1229909.4        |                              |                          |
| 578 | 4    | 22-Apr-25 | 1251       | 1351     | 27.51128    | 42.07              | 4.47                  | 1241409.2        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 579 | 4    | 22-Apr-25 | 1351       | 1451     | 27.15081    | 40.79              | 4.47                  | 1266175.9        |                              |                          |
| 580 | 4    | 22-Apr-25 | 1451       | 1550     | 9.69126     | 19.36              | 2.36                  | 793186.4         | End of Day                   | 3.519                    |
| 581 | 4    | 23-Apr-25 | 1057       | 1157     | 17.60151    | 28.98              | 2.27                  | 1108989.9        | Tank 4 damper opened at 1112 |                          |
| 582 | 4    | 23-Apr-25 | 1157       | 1257     | 31.35751    | 53                 | 5.66                  | 1122576.3        |                              |                          |
| 583 | 4    | 23-Apr-25 | 1257       | 1357     | 17.15287    | 31.57              | 4.94                  | 1029484.5        |                              |                          |
| 584 | 4    | 23-Apr-25 | 1357       | 1457     | 14.2206     | 26.88              | 3.76                  | 1003421.9        |                              |                          |
| 585 | 4    | 23-Apr-25 | 1457       | 1550     | 6.06997     | 13.76              | 2.47                  | 598427.6         | End of Day                   | 3.820                    |
| 586 | 4    | 24-Apr-25 | 0812       | 0912     | 9.1025      | 15.34              | 1.28                  | 1058972.7        | Tank 4 damper opened at 0839 |                          |
| 587 | 4    | 24-Apr-25 | 0912       | 1012     | 18.03602    | 25.63              | 3.32                  | 1332086.3        |                              |                          |
| 588 | 4    | 24-Apr-25 | 1012       | 1112     | 22.17856    | 33.45              | 3.96                  | 1271633.9        |                              |                          |
| 589 | 4    | 24-Apr-25 | 1112       | 1212     | 30.82202    | 50.86              | 5.03                  | 1150075.9        |                              |                          |
| 590 | 4    | 24-Apr-25 | 1212       | 1312     | 27.063.9    | 44.63              | 5.13                  | 1153417.8        |                              |                          |
| 591 | 4    | 24-Apr-25 | 1312       | 1412     | 23.73958    | 38.96              | 5.11                  | 1158486.8        |                              |                          |
| 592 | 4    | 24-Apr-25 | 1412       | 1512     | 22.82847    | 37.29              | 4.82                  | 1163025.8        |                              |                          |
| 593 | 4    | 24-Apr-25 | 1512       | 1537     | 2.95029     | 5.7                | 2.24                  | 379468.5         | End of Day                   | 3.861                    |
| 594 | 4    | 25-Apr-25 | 0725       | 0825     | 21.92079    | 31.08              | 2.44                  | 1294796.7        | Tank 4 damper opened at 0726 |                          |
| 595 | 4    | 25-Apr-25 | 0825       | 0925     | 24.37026    | 34.84              | 3.55                  | 1317443.5        |                              |                          |
| 596 | 4    | 25-Apr-25 | 0925       | 1025     | 24.34289    | 34.91              | 3.75                  | 1316608.6        |                              |                          |
| 597 | 4    | 25-Apr-25 | 1025       | 1125     | 23.51664    | 33.95              | 3.75                  | 1311321.4        |                              |                          |
| 598 | 4    | 25-Apr-25 | 1125       | 1225     | 22.04151    | 31.2               | 3.76                  | 1344157          |                              |                          |
| 599 | 4    | 25-Apr-25 | 1225       | 1325     | 19.26044    | 26.88              | 3.15                  | 1366935.7        |                              |                          |
| 600 | 4    | 25-Apr-25 | 1325       | 1425     | 16.1018     | 22.32              | 3.03                  | 1376552.9        |                              |                          |
| 601 | 4    | 25-Apr-25 | 1425       | 1525     | 12.24401    | 18.39              | 2.33                  | 1201810          | End of Day                   | 3.220                    |
| 602 | 4    | 28-Apr-25 | 0650       | 0750     | 13.16163    | 17.7               | 1.43                  | 1189702.2        | Tank 4 damper opened at 0657 |                          |
| 603 | 4    | 28-Apr-25 | 0750       | 0850     | 27.51538    | 37.19              | 3.81                  | 1393435.4        |                              |                          |
| 604 | 4    | 28-Apr-25 | 0850       | 0950     | 25.9779     | 35.28              | 4.3                   | 1392914.3        |                              |                          |
| 605 | 4    | 28-Apr-25 | 0950       | 1050     | 20.3174     | 27.75              | 3.55                  | 1389799.4        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 606  | 4    | 28-Apr-25 | 1050       | 1150     | 17.01079    | 23.33              | 2.93                  | 1386559          |                              |                          |
| 607  | 4    | 28-Apr-25 | 1150       | 1250     | 15.23465    | 20.92              | 2.34                  | 1384711.4        |                              |                          |
| 608  | 4    | 28-Apr-25 | 1250       | 1350     | 14.05327    | 19.09              | 2.25                  | 1393554.9        |                              |                          |
| 609  | 4    | 28-Apr-25 | 1350       | 1450     | 12.89599    | 17.48              | 1.62                  | 1388522.5        |                              |                          |
| 610  | 4    | 28-Apr-25 | 1450       | 1528     | 4.99524     | 8.13               | 1.34                  | 661848.3         | End of Day                   | 2.619                    |
| <i>APR 29, 2025: No active ventilation activities. Contractor stand-down (not related to Red Hill). Notified DOH.</i>  |      |           |            |          |             |                    |                       |                  |                              |                          |
| 611  | 4    | 30-Apr-25 | 0730       | 0830     | 2.02998     | 3.06               | 0.2                   | 556548.9         | Tank 4 damper opened at 0733 |                          |
| 612  | 4    | 30-Apr-25 | 0830       | 0930     | 11.71385    | 16.26              | 1.23                  | 1357399.7        |                              |                          |
| 613  | 4    | 30-Apr-25 | 0930       | 1030     | 11.12015    | 19.69              | 1.97                  | 1059343.5        |                              |                          |
| 614  | 4    | 30-Apr-25 | 1030       | 1130     | 4.68567     | 10.14              | 1.13                  | 846289.5         |                              |                          |
| 615  | 4    | 30-Apr-25 | 1130       | 1230     | 2.00826     | 4.55               | 0.22                  | 836553.5         |                              |                          |
| 616  | 4    | 30-Apr-25 | 1230       | 1330     | 1.34206     | 3.1                | 0.22                  | 818126.5         |                              |                          |
| 617  | 4    | 30-Apr-25 | 1330       | 1430     | 1.20774     | 2.96               | 0.22                  | 773823.5         |                              |                          |
| 618  | 4    | 30-Apr-25 | 1430       | 1530     | 1.13136     | 2.81               | 0.22                  | 764705.3         |                              |                          |
| 619  | 4    | 30-Apr-25 | 1530       | 1538     | 0.08453     | 0.42               | 0.22                  | 52962.9          | End of Day                   | 0.626                    |
| <i>MAY 01 - JUL 10, 2025: Tank ventilation activities for Tanks 3 and 4 complete. NCTF-RH has met the DOH requirement of below 4.82 lbs/hr undiluted total VOC concentrations and demonstrated readings below 15 ppmv from Tank 4 on APR 30, 2025. Tank 4 disconnected and manway removed. No active forced ventilation activities. Notified DOH. Preparatory work for Tank 2 ventilation.</i> |      |           |            |          |             |                    |                       |                  |                              |                          |
| 620  | 2    | 11-Jul-25 | 1040       | 1140     | 1.51365     | 3.85               | 0.62                  | 759662.6         | Tank 4 damper opened at 1133 |                          |
| 621  | 2    | 11-Jul-25 | 1140       | 1240     | 5.75476     | 15.32              | 2.74                  | 709171.5         |                              |                          |
| 622  | 2    | 11-Jul-25 | 1240       | 1340     | 4.41428     | 10.44              | 1.71                  | 794257.2         | End of Day                   | 1.690                    |
| 623  | 2    | 14-Jul-25 | 1152       | 1252     | 3.279638    | 5.75               | 0.76                  | 1003951.8        | Tank 2 damper opened at      |                          |
| 624  | 2    | 14-Jul-25 | 1252       | 1352     | 19.12368    | 31.9               | 7.79                  | 1142759.8        |                              |                          |
| 625  | 2    | 14-Jul-25 | 1352       | 1452     | 41.0345     | 68.61              | 19.06                 | 1137096.8        |                              |                          |
| 626  | 2    | 14-Jul-25 | 1452       | 1552     | 12.84927    | 24.43              | 11.11                 | 551877.2         | End of Day                   | 9.680                    |
| 627  | 2    | 15-Jul-25 | 0742       | 0842     | 29.98111    | 53.61              | 14.39                 | 1042535.2        | Tank 2 Damper Opened at 0741 |                          |
| 628  | 2    | 15-Jul-25 | 0842       | 0942     | 37.65664    | 67.03              | 19.99                 | 1057770.5        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 629 | 2    | 15-Jul-25 | 0942       | 1042     | 38.66284    | 68.93              | 20.9                  | 1060189.1        |                              |                          |
| 630 | 2    | 15-Jul-25 | 1042       | 1142     | 40.40307    | 77.26              | 21.45                 | 993809.7         |                              |                          |
| 631 | 2    | 15-Jul-25 | 1142       | 1242     | 34.04383    | 69.34              | 19.31                 | 933024.5         |                              |                          |
| 632 | 2    | 15-Jul-25 | 1241       | 1341     | 36.79623    | 76                 | 18.45                 | 922399.7         |                              |                          |
| 633 | 2    | 15-Jul-25 | 1341       | 1441     | 37.6675     | 78.1               | 16.96                 | 918446.8         |                              |                          |
| 634 | 2    | 15-Jul-25 | 1441       | 1542     | 24.98843    | 51.22              | 12.03                 | 913487.4         | End of Day                   | 17.935                   |
| 635 | 2    | 16-Jul-25 | 0851       | 0951     | 26.7481     | 52.29              | 9.42                  | 931394.4         | Tank 2 Damper Opened at 0851 |                          |
| 636 | 2    | 16-Jul-25 | 0951       | 1051     | 43.85483    | 81.54              | 16.78                 | 1018996.8        |                              |                          |
| 637 | 2    | 16-Jul-25 | 1051       | 1151     | 42.69039    | 78.49              | 16.2                  | 1031132.9        |                              |                          |
| 638 | 2    | 16-Jul-25 | 1151       | 1251     | 39.05802    | 72.23              | 14.05                 | 1028029.6        |                              |                          |
| 639 | 2    | 16-Jul-25 | 1251       | 1351     | 38.62239    | 71.61              | 12.59                 | 1027167.1        |                              |                          |
| 640 | 2    | 16-Jul-25 | 1351       | 1451     | 35.76405    | 66.51              | 11.41                 | 1027579.9        |                              |                          |
| 641 | 2    | 16-Jul-25 | 1451       | 1547     | 9.10953     | 18.51              | 2.53                  | 915741.6         | End of Day                   | 11.854                   |
| 642 | 2    | 17-Jul-25 | 0725       | 0825     | 7.44154     | 12.9               | 2.66                  | 925703.9         | Tank 2 Damper Opened at 0748 |                          |
| 643 | 2    | 17-Jul-25 | 0825       | 0925     | 26.07524    | 46.01              | 8.1                   | 1088786.2        |                              |                          |
| 644 | 2    | 17-Jul-25 | 0925       | 1025     | 14.00819    | 21.72              | 4.85                  | 1220489.5        |                              |                          |
| 645 | 2    | 17-Jul-25 | 1025       | 1125     | 11.84779    | 17.85              | 4.12                  | 1256153          |                              |                          |
| 646 | 2    | 17-Jul-25 | 1125       | 1225     | 10.96683    | 17                 | 3.72                  | 1226295.4        |                              |                          |
| 647 | 2    | 17-Jul-25 | 1225       | 1325     | 8.72006     | 13.49              | 3                     | 1233897          |                              |                          |
| 648 | 2    | 17-Jul-25 | 1325       | 1425     | 9.2247      | 14.33              | 3.2                   | 1230292.4        |                              |                          |
| 649 | 2    | 17-Jul-25 | 1425       | 1515     | 5.2393      | 8.28               | 2.07                  | 987668.9         | End of Day                   | 3.965                    |
| 650 | 2    | 18-Jul-25 | 0700       | 0800     | 3.51854     | 5.69               | 0.92                  | 976242.5         | Tank 2 Damper Opened at 0714 |                          |
| 651 | 2    | 18-Jul-25 | 0800       | 0900     | 6.62861     | 9.62               | 1.64                  | 1298150.9        |                              |                          |
| 652 | 2    | 18-Jul-25 | 0900       | 1000     | 8.24944     | 12.17              | 2.34                  | 1282381.7        |                              |                          |
| 653 | 2    | 18-Jul-25 | 1000       | 1100     | 8.97704     | 13.27              | 2.52                  | 1285646.1        |                              |                          |
| 654 | 2    | 18-Jul-25 | 1100       | 1200     | 15.01092    | 22.27              | 4.99                  | 1284208.5        |                              |                          |
| 655 | 2    | 18-Jul-25 | 1200       | 1300     | 23.16307    | 34.54              | 8.57                  | 128353.7         |                              |                          |
| 656 | 2    | 18-Jul-25 | 1300       | 1400     | 30.12387    | 44.88              | 11.93                 | 1283763.5        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 657 | 2    | 18-Jul-25 | 1400       | 1500     | 30.28754    | 44.7               | 11.75                 | 1296202.6        |                              |                          |
| 658 | 2    | 18-Jul-25 | 1500       | 1600     | 6.20379     | 10.92              | 5.67                  | 425034.1         | End of Day                   | 5.592                    |
| 659 | 2    | 21-Jul-25 | 0719       | 0819     | 13.34888    | 24.9               | 5.23                  | 845135.1         | Tank 2 Damper Opened at 0734 |                          |
| 660 | 2    | 21-Jul-25 | 0819       | 0919     | 45.01198    | 76.76              | 14.9                  | 1107348.6        |                              |                          |
| 661 | 2    | 21-Jul-25 | 0919       | 1019     | 39.73203    | 65.73              | 13.88                 | 1149874.5        |                              |                          |
| 662 | 2    | 21-Jul-25 | 1019       | 1119     | 40.52304    | 64.29              | 13.59                 | 1199204.9        |                              |                          |
| 663 | 2    | 21-Jul-25 | 1119       | 1219     | 39.59464    | 62.63              | 12.76                 | 1205756          |                              |                          |
| 664 | 2    | 21-Jul-25 | 1219       | 1319     | 40.33068    | 62.86              | 12.7                  | 1226049.7        |                              |                          |
| 665 | 2    | 21-Jul-25 | 1319       | 1419     | 36.33361    | 57.54              | 12.43                 | 1207720.4        |                              |                          |
| 666 | 2    | 21-Jul-25 | 1419       | 1519     | 37.13014    | 58.75              | 12.9                  | 1208279.8        |                              |                          |
| 667 | 2    | 21-Jul-25 | 1519       | 1619     | 6.73057     | 12.95              | 5.74                  | 490626.2         | End of Day                   | 11.570                   |
| 668 | 2    | 22-Jul-25 | 0700       | 0800     | 7.42135     | 12.43              | 2.58                  | 1010124          | Tank 2 Damper Opened at 0710 |                          |
| 669 | 2    | 22-Jul-25 | 0800       | 0900     | 27.62761    | 48.92              | 7.4                   | 1094026.8        |                              |                          |
| 670 | 2    | 22-Jul-25 | 0900       | 1000     | 36.40288    | 66.81              | 9.9                   | 1030122.1        |                              |                          |
| 671 | 2    | 22-Jul-25 | 1000       | 1100     | 31.38765    | 58.06              | 8.45                  | 1022955.1        |                              |                          |
| 672 | 2    | 22-Jul-25 | 1100       | 1200     | 25.25114    | 47.27              | 6.32                  | 1013416          |                              |                          |
| 673 | 2    | 22-Jul-25 | 1200       | 1300     | 19.97214    | 37.45              | 4.56                  | 1013696.3        |                              |                          |
| 674 | 2    | 22-Jul-25 | 1300       | 1400     | 16.43458    | 30.89              | 3.47                  | 1011605.7        |                              |                          |
| 675 | 2    | 22-Jul-25 | 1400       | 1500     | 15.81961    | 29.47              | 3.72                  | 1024445.3        |                              |                          |
| 676 | 2    | 22-Jul-25 | 1500       | 1600     | 6.25801     | 11.86              | 2.74                  | 599702.9         | End of Day                   | 5.460                    |
| 677 | 2    | 23-Jul-25 | 0730       | 0830     | 2.98179     | 5.28               | 0.68                  | 941047.1         | Tank 2 Damper Opened at 0740 |                          |
| 678 | 2    | 23-Jul-25 | 0830       | 0930     | 10.92582    | 16.95              | 3.17                  | 1215929.1        |                              |                          |
| 679 | 2    | 23-Jul-25 | 0930       | 1030     | 19.20706    | 28.6               | 5.27                  | 1275961.5        |                              |                          |
| 680 | 2    | 23-Jul-25 | 1030       | 1130     | 42.46625    | 63.21              | 12.71                 | 1278400.5        |                              |                          |
| 681 | 2    | 23-Jul-25 | 1130       | 1230     | 41.39761    | 61.7               | 12.61                 | 1282144.7        |                              |                          |
| 682 | 2    | 23-Jul-25 | 1230       | 1330     | 37.03076    | 55.27              | 11.47                 | 1282070.7        |                              |                          |
| 683 | 2    | 23-Jul-25 | 1330       | 1430     | 33.23273    | 47.84              | 9.52                  | 1332339.4        |                              |                          |
| 684 | 2    | 23-Jul-25 | 1430       | 1530     | 26.52279    | 39.46              | 7.59                  | 1265437.1        |                              |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                        | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|------------------------------|--------------------------|
| 685 | 2    | 23-Jul-25 | 1530       | 1550     | 1.88323     | 4.53               | 2.54                  | 251978.8         | End of Day                   | 7.284                    |
| 686 | 2    | 24-Jul-25 | 0753       | 0853     | 7.84319     | 12.92              | 1.34                  | 1016260.6        | Tank 2 Damper Opened at 0809 |                          |
| 687 | 2    | 24-Jul-25 | 0853       | 0953     | 16.87019    | 26.1               | 3.4                   | 1225414          |                              |                          |
| 688 | 2    | 24-Jul-25 | 0953       | 1053     | 7.47058     | 14.94              | 2.12                  | 663646.6         | End of Day                   | 2.287                    |
| 689 | 2    | 25-Jul-25 | 0952       | 1052     | 7.16448     | 11.16              | 1.75                  | 1010581.5        | Tank 2 Damper Opened 1008    |                          |
| 690 | 2    | 25-Jul-25 | 1043       | 1143     | 9.10953     | 18.51              | 2.53                  | 915741.6         |                              |                          |
| 691 | 2    | 25-Jul-25 | 1152       | 1252     | 23.41753    | 33.72              | 6.3                   | 1320905.9        |                              |                          |
| 692 | 2    | 25-Jul-25 | 1252       | 1352     | 21.87648    | 31.73              | 5.9                   | 1312061.9        |                              |                          |
| 693 | 2    | 25-Jul-25 | 1352       | 1452     | 19.86773    | 28.87              | 5.24                  | 1313096.3        |                              |                          |
| 694 | 2    | 25-Jul-25 | 1452       | 1552     | 8.05486     | 13.84              | 3.64                  | 752838.6         | End of Day                   | 4.227                    |
| 695 | 2    | 28-Jul-25 | 0728       | 0828     | 14.04372    | 21.4               | 2.5                   | 1132302.9        | Tank 2 Damper Opened 0730    |                          |
| 696 | 2    | 28-Jul-25 | 0828       | 0928     | 21.26616    | 31.68              | 4.23                  | 1260238          |                              |                          |
| 697 | 2    | 28-Jul-25 | 0928       | 1028     | 20.35634    | 30.39              | 3.74                  | 1259896.2        |                              |                          |
| 698 | 2    | 28-Jul-25 | 1028       | 1128     | 18.94817    | 28.18              | 3.75                  | 1270475.2        |                              |                          |
| 699 | 2    | 28-Jul-25 | 1128       | 1228     | 17.87479    | 25.78              | 3.75                  | 1312445.9        |                              |                          |
| 700 | 2    | 28-Jul-25 | 1227       | 1327     | 16.15741    | 23.45              | 3.72                  | 1312593.9        |                              |                          |
| 701 | 2    | 28-Jul-25 | 1327       | 1427     | 14.59738    | 21.36              | 3.05                  | 1306506.6        |                              |                          |
| 702 | 2    | 28-Jul-25 | 1427       | 1527     | 12.83849    | 18.88              | 2.91                  | 1293012.5        | End of Day                   | 3.456                    |
| 703 | 2    | 29-Jul-25 | 0739       | 0839     | 7.71216     | 11.19              | 1.1                   | 1247041.8        | Tank 2 Damper Opened 0741    |                          |
| 704 | 2    | 29-Jul-25 | 0839       | 0939     | 11.68189    | 16.84              | 2.26                  | 1313634.7        |                              |                          |
| 705 | 2    | 29-Jul-25 | 0939       | 1039     | 11.62876    | 16.84              | 2.34                  | 1312025.1        |                              |                          |
| 706 | 2    | 29-Jul-25 | 1039       | 1139     | 11.05641    | 16.03              | 2.34                  | 1314209.2        |                              |                          |
| 707 | 2    | 29-Jul-25 | 1139       | 1239     | 8.45222     | 15.6               | 3.02                  | 1052281.5        |                              |                          |
| 708 | 2    | 29-Jul-25 | 1239       | 1339     | 9.81212     | 14.3               | 2.22                  | 1312520.6        |                              |                          |
| 709 | 2    | 29-Jul-25 | 1339       | 1439     | 9.19283     | 13.38              | 1.65                  | 1315395.5        |                              |                          |
| 710 | 2    | 29-Jul-25 | 1439       | 1539     | 5.15646     | 10.79              | 1.32                  | 783511.1         | End of Day                   | 2.031                    |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                          | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|--------------------------------|--------------------------|
| 711  | 2    | 30-Jul-25 | 0725       | 0825     | 4.39472     | 6.61               | 0.47                  | 115862.3         | Tank 2 Damper Opened 0733      |                          |
| 712  | 2    | 30-Jul-25 | 0825       | 0925     | 7.51928     | 11.05              | 1.49                  | 1289027.7        |                                |                          |
| 713  | 2    | 30-Jul-25 | 0925       | 1025     | 6.4547      | 11.65              | 1.64                  | 1051857.2        |                                |                          |
| 714  | 2    | 30-Jul-25 | 1025       | 1125     | 3.99423     | 8.34               | 1.3                   | 908091.3         |                                |                          |
| 715  | 2    | 30-Jul-25 | 1125       | 1225     | 3.60179     | 7.34               | 0.9                   | 932407.9         |                                |                          |
| 716  | 2    | 30-Jul-25 | 1225       | 1325     | 3.5331      | 7.24               | 0.9                   | 328595           |                                |                          |
| 717  | 2    | 30-Jul-25 | 1325       | 1425     | 3.31449     | 6.78               | 0.9                   | 931975.4         |                                |                          |
| 718  | 2    | 30-Jul-25 | 1425       | 1525     | 3.20535     | 6.54               | 0.9                   | 935117.7         | End of Day                     | 1.063                    |
| <p><i>JUL 31 - NOV 12, 2025: Tank ventilation activities for Tank 2 complete. NCTF-RH has met the DOH requirement of below 4.82 lbs/hr undiluted total VOC concentrations and demonstrated readings below 15 ppmv from Tank 22 on JUL 30, 2025. Tank 2 disconnected and manway removed. No active forced ventilation activities. Notified DOH. Preparatory work for Tank 20 ventilation.</i></p> |      |           |            |          |             |                    |                       |                  |                                |                          |
| 719  | 20   | 12-Nov-25 | 0927       | 1027     | 1.49121     | 9.43               | 0.63                  | 295832.7         | Tank 20 Damper open 1010       |                          |
| 720  | 20   | 12-Nov-25 | 1027       | 1127     | 8.63448     | 54.14              | 7.15                  | 3001007.8        |                                |                          |
| 721  | 20   | 12-Nov-25 | 1127       | 1227     | 11.82453    | 68.22              | 9.82                  | 326416.6         |                                |                          |
| 722  | 20   | 12-Nov-25 | 1227       | 1327     | 19.03528    | 84.52              | 21.34                 | 423777.4         |                                |                          |
| 723  | 20   | 12-Nov-25 | 1327       | 1427     | 20.68473    | 87.69              | 25.85                 | 445281.4         |                                |                          |
| 724  | 20   | 12-Nov-25 | 1427       | 1527     | 17.86153    | 75.07              | 20.81                 | 449324.6         |                                |                          |
| 725  | 20   | 12-Nov-25 | 1527       | 1627     | 2.99626     | 22.12              | 3.34                  | 172905.8         | End of Day                     | 12.706                   |
| 726  | 20   | 13-Nov-25 | 0745       | 0845     | 6.87324     | 30.4               | 7.93                  | 393183.5         | Tank 20 Damper opened 0746     |                          |
| 727  | 20   | 13-Nov-25 | 0845       | 0945     | 8.72485     | 36.63              | 15.91                 | 449161.9         |                                |                          |
| 728  | 20   | 13-Nov-25 | 0945       | 1045     | 9.88981     | 42.64              | 24.01                 | 438468.3         |                                |                          |
| 729  | 20   | 13-Nov-25 | 1045       | 1145     | 9.86423     | 42.77              | 23.64                 | 435904           |                                |                          |
| 730  | 20   | 13-Nov-25 | 1145       | 1245     | 7.87742     | 34.16              | 17.78                 | 435786.7         |                                |                          |
| 731  | 20   | 13-Nov-25 | 1245       | 1345     | 6.15654     | 26.67              | 13.01                 | 436480.6         |                                |                          |
| 732  | 20   | 13-Nov-25 | 1345       | 1445     | 4.69055     | 20.4               | 9.51                  | 434821.8         |                                |                          |
| 733  | 20   | 13-Nov-25 | 1445       | 1545     | 1.33656     | 6.6                | 3.95                  | 195491.8         | End of Day                     | 14.468                   |
| 734  | 20   | 14-Nov-25 | 0743       | 0843     | 3.62516     | 15.92              | 6.55                  | 406788.2         | Tank 20 Damper opened at 0746. |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#   | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                         | Daily Average Vent Stack |
|---|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|-------------------------------|--------------------------|
| 735   | 20   | 14-Nov-25 | 0843       | 0943     | 1.71781     | 9.68               | 9.3                   | 334765.9         |                               |                          |
| 736   | 20   | 14-Nov-25 | 0943       | 1043     | 1.37309     | 7.71               | 7.43                  | 336073.9         |                               |                          |
| 737   | 20   | 14-Nov-25 | 1043       | 1143     | 1.08327     | 6.1                | 6.07                  | 335060.2         |                               |                          |
| 738   | 20   | 14-Nov-25 | 1243       | 1249     | 0.0118      | 0.15               | 0.84                  | 14286.8          | End of Day                    | 6.038                    |
| <i>NOV 17, 2025: No active ventilation activities due to main sump offline. Notified DOH.</i> |      |           |            |          |             |                    |                       |                  |                               |                          |
| 739   | 20   | 18-Nov-25 | 0730       | 0830     | 3.65059     | 15.56              | 4.41                  | 313713.1         | Tank 20 Damper opened at 0749 |                          |
| 740   | 20   | 18-Nov-25 | 0830       | 0930     | 6.05295     | 26.62              | 11.41                 | 429816.2         |                               |                          |
| 741   | 20   | 18-Nov-25 | 0930       | 1030     | 6.05455     | 26.36              | 12.42                 | 434117           |                               |                          |
| 742   | 20   | 18-Nov-25 | 1030       | 1130     | 5.27082     | 22.82              | 11.06                 | 435694.6         |                               |                          |
| 743   | 20   | 18-Nov-25 | 1130       | 1230     | 4.37949     | 19.27              | 8.58                  | 429644.4         |                               |                          |
| 744   | 20   | 18-Nov-25 | 1230       | 1330     | 3.40385     | 15                 | 6.51                  | 428993.7         |                               |                          |
| 745   | 20   | 18-Nov-25 | 1330       | 1430     | 3.14253     | 13.41              | 6.84                  | 442732.9         |                               |                          |
| 746   | 20   | 18-Nov-25 | 1430       | 1530     | 2.63377     | 11.77              | 5.43                  | 420942.1         |                               |                          |
| 747   | 20   | 18-Nov-25 | 1530       | 1630     | 0.02742     | 0.65               | 1.06                  | 10128.5          | End of Day                    | 7.524                    |
| 748   | 20   | 19-Nov-25 | 0745       | 0845     | 1.31232     | 9.7                | 2.34                  | 237714.3         | Tank 20 Damper Opened at 0745 |                          |
| 749   | 20   | 19-Nov-25 | 0845       | 0945     | 2.67516     | 16.19              | 5.32                  | 307626.4         |                               |                          |
| 750   | 20   | 19-Nov-25 | 0945       | 1045     | 2.2391      | 13.78              | 4.05                  | 305549.3         |                               |                          |
| 751   | 20   | 19-Nov-25 | 1045       | 1145     | 6.59        | 37.59              | 20.31                 | 330512.1         |                               |                          |
| 752   | 20   | 19-Nov-25 | 1145       | 1245     | 12.09279    | 56.09              | 24.52                 | 406307.5         |                               |                          |
| 753   | 20   | 19-Nov-25 | 1245       | 1345     | 11.54583    | 48.15              | 20.5                  | 452511.4         |                               |                          |
| 754   | 20   | 19-Nov-25 | 1345       | 1445     | 7.74377     | 32.72              | 11.05                 | 446907.8         |                               |                          |
| 755   | 20   | 19-Nov-25 | 1445       | 1545     | 5.16328     | 23.05              | 8.07                  | 356091.5         | End of Day                    | 12.020                   |
| 756   | 20   | 20-Nov-25 | 0739       | 0839     | 7.18907     | 30.94              | 14.18                 | 388248.3         | Tank 20 Damper Opened 0739    |                          |
| 757   | 20   | 20-Nov-25 | 0839       | 0939     | 9.60114     | 38.66              | 15.64                 | 468286.6         |                               |                          |
| 758   | 20   | 20-Nov-25 | 0939       | 1039     | 14.64202    | 56.89              | 22.49                 | 486187.3         |                               |                          |
| 759   | 20   | 20-Nov-25 | 1039       | 1139     | 14.08736    | 54.8               | 21.28                 | 485624.2         |                               |                          |
| 760   | 20   | 20-Nov-25 | 1139       | 1239     | 15.24782    | 59.16              | 23.62                 | 486822.2         |                               |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 761  | 20   | 20-Nov-25 | 1239       | 1339     | 14.49222    | 56.23              | 21.47                 | 486837.9         |                            |                          |
| 762  | 20   | 20-Nov-25 | 1339       | 1439     | 13.51469    | 52.4               | 18.95                 | 487266           |                            |                          |
| 763  | 20   | 20-Nov-25 | 1439       | 1539     | 11.07807    | 44.4               | 15.02                 | 453737.7         |                            |                          |
| 764  | 20   | 20-Nov-25 | 1539       | 1543     | 0.09006     | 1.01               | 2.03                  | 11361.1          | End of Day                 | 17.187                   |
| <i>NOV 21, 2025: No active ventilation activities. Notified DOH.</i> |      |           |            |          |             |                    |                       |                  |                            |                          |
| 765  | 20   | 24-Nov-25 | 0841       | 0941     | 6.20479     | 27.65              | 7.26                  | 383916.3         | Tank 20 Damper Opened 0846 |                          |
| 766  | 20   | 24-Nov-25 | 0941       | 1041     | 9.41779     | 38.96              | 14.98                 | 456437.4         |                            |                          |
| 767  | 20   | 24-Nov-25 | 1041       | 1141     | 9.54194     | 39.49              | 16.35                 | 456355.2         |                            |                          |
| 768  | 20   | 24-Nov-25 | 1141       | 1241     | 9.97872     | 42.34              | 18.66                 | 442896.7         |                            |                          |
| 769  | 20   | 24-Nov-25 | 1241       | 1341     | 10.64169    | 44.25              | 19.61                 | 454166.1         |                            |                          |
| 770  | 20   | 24-Nov-25 | 1341       | 1441     | 10.0304     | 41.73              | 17.54                 | 453945.9         |                            |                          |
| 771  | 20   | 24-Nov-25 | 1441       | 1541     | 9.03204     | 38.1               | 15.75                 | 430875.1         | End of Day                 | 15.736                   |
| 772  | 20   | 25-Nov-25 | 0730       | 0830     | 2.32488     | 14.57              | 0.94                  | 283731.9         | Tank 20 Damper Opened 0733 |                          |
| 773  | 20   | 25-Nov-25 | 0830       | 0930     | 2.17531     | 13.47              | 0.31                  | 303726.7         |                            |                          |
| 774  | 20   | 25-Nov-25 | 0930       | 1030     | 2.45639     | 15.57              | 0.92                  | 297160.5         |                            |                          |
| 775  | 20   | 25-Nov-25 | 1030       | 1130     | 8.65814     | 36.64              | 13.26                 | 439069.4         |                            |                          |
| 776  | 20   | 26-Nov-25 | 1130       | 1230     | 13.61932    | 56.61              | 23.95                 | 454066.6         |                            |                          |
| 777  | 20   | 25-Nov-25 | 1230       | 1330     | 14.31570    | 57.92              | 20.64                 | 467644.6         |                            |                          |
| 778  | 20   | 25-Nov-25 | 1330       | 1430     | 15.05289    | 59.36              | 24.07                 | 478593.1         |                            |                          |
| 779  | 20   | 25-Nov-25 | 1430       | 1525     | 5.58847     | 26.16              | 7.18                  | 293185.3         | End of Day                 | 11.409                   |
| 780  | 20   | 26-Nov-25 | 0725       | 0825     | 10.54779    | 43.04              | 20.22                 | 420667.9         | Tank 20 Damper Opened 0726 |                          |
| 781  | 20   | 26-Nov-25 | 0825       | 0925     | 15.22196    | 58.85              | 27.16                 | 488095.1         |                            |                          |
| 782  | 20   | 26-Nov-25 | 0925       | 1025     | 16.46335    | 63.43              | 26.95                 | 489791.8         |                            |                          |
| 783  | 20   | 26-Nov-25 | 1025       | 1125     | 17.29206    | 66.37              | 27.82                 | 491672.5         |                            |                          |
| 784  | 20   | 26-Nov-25 | 1125       | 1225     | 16.57525    | 63.57              | 24.83                 | 492150.3         |                            |                          |
| 785  | 20   | 26-Nov-25 | 1225       | 1325     | 16.22108    | 62.29              | 23.86                 | 491533.5         |                            |                          |
| 786  | 20   | 26-Nov-25 | 1325       | 1425     | 15.02403    | 58.35              | 20.83                 | 484258           |                            |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 787  | 20   | 26-Nov-25 | 1425       | 1525     | 1.35432     | 17.16              | 2.89                  | 104728.5         |                            | 21.820                   |
| <i>NOV 28, 2025: No active ventilation activities. Thanksgiving Break.</i> |      |           |            |          |             |                    |                       |                  |                            |                          |
| 788  | 20   | 1-Dec-25  | 0804       | 0904     | 9.87481     | 48.52              | 18.89                 | 347912.3         | Tank 20 Damper Opened 0810 |                          |
| 789  | 20   | 1-Dec-25  | 0904       | 1004     | 18.06338    | 68.07              | 29.38                 | 500652.5         |                            |                          |
| 790  | 20   | 1-Dec-25  | 1004       | 1104     | 14.3888     | 54.74              | 21.04                 | 495500.8         |                            |                          |
| 791  | 20   | 1-Dec-25  | 1104       | 1204     | 10.83331    | 42.09              | 14.34                 | 486322.8         |                            |                          |
| 792  | 20   | 1-Dec-25  | 1204       | 1304     | 12.02134    | 47.03              | 24.61                 | 482880.2         |                            |                          |
| 793  | 20   | 1-Dec-25  | 1304       | 1404     | 12.12845    | 47.51              | 24.6                  | 482335.6         |                            |                          |
| 794  | 20   | 1-Dec-25  | 1404       | 1504     | 11.99976    | 47.21              | 23.71                 | 480302.9         |                            |                          |
| 795  | 20   | 1-Dec-25  | 1504       | 1545     | 3.88238     | 19.06              | 7.16                  | 214172.9         | End of Day                 | 20.466                   |
| 796  | 20   | 2-Dec-25  | 0725       | 0825     | 11.01528    | 44.24              | 19.52                 | 426095           | Tank 20 Damper Opened 0730 |                          |
| 797  | 20   | 2-Dec-25  | 0825       | 0925     | 14.10113    | 57.45              | 26.24                 | 463841           |                            |                          |
| 798  | 20   | 2-Dec-25  | 0925       | 1025     | 15.29207    | 62.98              | 26.37                 | 458917           |                            |                          |
| 799  | 20   | 2-Dec-25  | 1025       | 1125     | 13.15018    | 54.3               | 23.85                 | 458110.3         |                            |                          |
| 800  | 20   | 2-Dec-25  | 1125       | 1225     | 10.29009    | 42                 | 23.88                 | 462832.8         |                            |                          |
| 801  | 20   | 2-Dec-25  | 1225       | 1325     | 10.95403    | 45                 | 26.05                 | 459933.7         |                            |                          |
| 802  | 20   | 2-Dec-25  | 1325       | 1425     | 10.83793    | 44.88              | 23.93                 | 456357.5         |                            |                          |
| 803  | 20   | 2-Dec-25  | 1425       | 1525     | 8.72076     | 37                 | 17.13                 | 439219.8         |                            |                          |
| 804  | 20   | 2-Dec-25  | 1525       | 1542     | 0.83617     | 4.25               | 2.42                  | 103211.6         | End of Day                 | 21.043                   |
| 805  | 20   | 3-Dec-25  | 0745       | 0844     | 8.97172     | 41.23              | 22.63                 | 388119.9         | Tank 20 Damper Opened 0746 |                          |
| 806  | 20   | 3-Dec-25  | 0845       | 0944     | 11.42441    | 48.75              | 23.62                 | 442327.6         |                            |                          |
| 807  | 20   | 3-Dec-25  | 0945       | 1044     | 11.40438    | 46                 | 20.45                 | 468200.4         |                            |                          |
| 808  | 20   | 3-Dec-25  | 1045       | 1144     | 10.96073    | 43.48              | 19.84                 | 475319           |                            |                          |
| 809  | 20   | 3-Dec-25  | 1145       | 1244     | 9.95766     | 40.02              | 20.22                 | 469207.3         |                            |                          |
| 810  | 20   | 3-Dec-25  | 1245       | 1344     | 8.88033     | 35.68              | 17.89                 | 469474.5         |                            |                          |
| 811  | 20   | 3-Dec-25  | 1345       | 1444     | 7.83586     | 31.58              | 15.52                 | 468051.9         |                            |                          |
| 812  | 20   | 3-Dec-25  | 1445       | 1534     | 4.45324     | 20.08              | 9.52                  | 322551.5         | End of Day                 | 18.711                   |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 813  | 20   | 4-Dec-25  | 0725       | 0825     | 3.8512      | 15.75              | 9.17                  | 401996.5         | Tank 20 Damper Opened 0732 |                          |
| 814  | 20   | 4-Dec-25  | 0825       | 0925     | 7.22095     | 29.18              | 15.98                 | 466748           |                            |                          |
| 815  | 20   | 4-Dec-25  | 0925       | 1025     | 7.21481     | 29.13              | 14.98                 | 467159.5         |                            |                          |
| 816  | 20   | 4-Dec-25  | 1025       | 1125     | 6.10218     | 26.18              | 13.27                 | 438629.1         |                            |                          |
| 817  | 20   | 4-Dec-25  | 1125       | 1225     | 5.54561     | 23.89              | 12.19                 | 439347.1         |                            |                          |
| 818  | 20   | 4-Dec-25  | 1225       | 1325     | 5.21124     | 21.02              | 10.59                 | 467667.4         |                            |                          |
| 819  | 20   | 4-Dec-25  | 1325       | 1425     | 4.70903     | 19.02              | 9.6                   | 467041.3         |                            |                          |
| 820  | 20   | 4-Dec-25  | 1425       | 1524     | 3.6654      | 16.06              | 8.02                  | 407622.1         | End of Day                 | 11.725                   |
| 821  | 20   | 5-Dec-25  | 0725       | 0825     | 2.47129     | 10.2               | 5.54                  | 404103.7         | Tank 20 Damper Opened 0730 |                          |
| 822  | 20   | 5-Dec-25  | 0825       | 0925     | 5.20946     | 21.41              | 11.42                 | 458992.9         |                            |                          |
| 823  | 20   | 5-Dec-25  | 0925       | 1025     | 4.42228     | 21.43              | 11.09                 | 388280           |                            |                          |
| 824  | 20   | 5-Dec-25  | 1025       | 1125     | 4.06762     | 19.67              | 10.5                  | 389063.9         |                            |                          |
| 825  | 20   | 5-Dec-25  | 1125       | 1225     | 3.78184     | 18.29              | 10.14                 | 388987.2         |                            |                          |
| 826  | 20   | 5-Dec-25  | 1225       | 1325     | 3.46466     | 16.72              | 9.72                  | 389670.3         |                            |                          |
| 827  | 20   | 5-Dec-25  | 1325       | 1425     | 3.08598     | 14.53              | 8.82                  | 399717.1         |                            |                          |
| 828  | 20   | 5-Dec-25  | 1425       | 1525     | 2.29317     | 11.74              | 7.35                  | 352641.8         | End of Day                 | 9.323                    |
| 829  | 20   | 8-Dec-25  | 0654       | 0754     | 1.43438     | 5.72               | 4.42                  | 417901.4         | Tank 20 Damper Opened 0656 |                          |
| 830  | 20   | 8-Dec-25  | 0754       | 0854     | 3.17384     | 13.27              | 10.69                 | 452205.2         |                            |                          |
| 831  | 20   | 8-Dec-25  | 0854       | 0954     | 2.64561     | 11.66              | 8.5                   | 427961.5         |                            |                          |
| 832  | 20   | 8-Dec-25  | 0954       | 1054     | 2.49558     | 11.04              | 7.71                  | 426646.1         |                            |                          |
| 833  | 20   | 8-Dec-25  | 1054       | 1154     | 1.73931     | 9.33               | 6.19                  | 331214.2         | End of Day                 | 7.502                    |
| <p><i>DEC 09, 2025 - FEB 2, 2026: Tank ventilation activities for Tank 20 complete. NCTF-RH has met the DOH requirement of below 4.82 lbs/hr undiluted total VOC concentrations and demonstrated readings below 15 ppmv from Tank 20 on DEC 8, 2025. Tank 20 disconnected and manway removed. No active forced ventilation activities. Notified DOH. Preparatory work for Tank 15 ventilation.</i></p> |      |           |            |          |             |                    |                       |                  |                            |                          |
| 834  | 15   | 03-Feb-26 | 1246       | 1346     | 0.11626     | 0.24               | 0.25                  | 894747.5         |                            |                          |
| 835  | 15   | 03-Feb-26 | 1346       | 1446     | 0.30194     | 0.51               | 0.25                  | 1045719.7        | Tank 15 Damper Opened 1431 |                          |
| 836  | 15   | 03-Feb-26 | 1446       | 1546     | 0.41343     | 0.69               | 0.25                  | 1111871.3        | End of Day                 | 0.250                    |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 837 | 15   | 04-Feb-26 | 1002       | 1102     | 3.66830     | 5.42               | 0.67                  | 1038369.2        | Tank 15 Damper Opened 1015 |                          |
| 838 | 15   | 04-Feb-26 | 1102       | 1202     | 11.82827    | 18.36              | 2.86                  | 1211167.6        |                            |                          |
| 839 | 15   | 04-Feb-26 | 1202       | 1302     | 11.61800    | 19.14              | 4.28                  | 1152548.5        |                            |                          |
| 840 | 15   | 04-Feb-26 | 1302       | 1402     | 12.64063    | 20.77              | 4.76                  | 1157438.5        |                            |                          |
| 841 | 15   | 04-Feb-26 | 1402       | 1502     | 11.62692    | 21.92              | 8.43                  | 1003583.2        |                            |                          |
| 842 | 15   | 04-Feb-26 | 1502       | 1555     | 6.34439     | 14.21              | 11.78                 | 724992.3         | End of Day                 | 5.463                    |
| 843 | 15   | 5-Feb-26  | 0734       | 0834     | 4.62528     | 9.99               | 5.75                  | 751466.2         | Tank 15 Damper Opened 0742 |                          |
| 844 | 15   | 5-Feb-26  | 0834       | 0934     | 8.89932     | 19.06              | 12.99                 | 885303.3         |                            |                          |
| 845 | 15   | 5-Feb-26  | 0934       | 1034     | 8.34136     | 17.82              | 13.16                 | 888946.5         |                            |                          |
| 846 | 15   | 5-Feb-26  | 1034       | 1134     | 7.72407     | 16.57              | 12.46                 | 886065.7         |                            |                          |
| 847 | 15   | 5-Feb-26  | 1134       | 1234     | 7.04265     | 15.04              | 11.91                 | 891236           |                            |                          |
| 848 | 15   | 5-Feb-26  | 1234       | 1334     | 6.18756     | 13.33              | 10.74                 | 883673.8         |                            |                          |
| 849 | 15   | 5-Feb-26  | 1334       | 1434     | 5.82957     | 12.59              | 10.01                 | 881336.3         |                            |                          |
| 850 | 15   | 5-Feb-26  | 1434       | 1534     | 4.62544     | 9.93               | 8.68                  | 834279.5         | End of Day                 | 10.713                   |
| 851 | 15   | 6-Feb-26  | 1000       | 1100     | 2.16963     | 4.64               | 2.95                  | 879224.2         | Tank 15 Damper Opened 1001 |                          |
| 852 | 15   | 6-Feb-26  | 1100       | 1200     | 3.07548     | 6.5                | 4.75                  | 899168.1         |                            |                          |
| 853 | 15   | 6-Feb-26  | 1200       | 1300     | 3.13549     | 6.57               | 5.1                   | 908274.3         |                            |                          |
| 854 | 15   | 6-Feb-26  | 1300       | 1400     | 2.86627     | 6.05               | 5.1                   | 902287.2         |                            |                          |
| 855 | 15   | 6-Feb-26  | 1400       | 1500     | 3.37642     | 7.1                | 5.76                  | 906059.3         |                            |                          |
| 856 | 15   | 6-Feb-26  | 1500       | 1535     | 1.91582     | 4.3                | 6.28                  | 423057           | End of Day                 | 4.990                    |
| 857 | 15   | 9-Feb-26  | 1033       | 1133     | 4.83483     | 9.54               | 5.16                  | 930172.8         | Tank 15 Damper Opened 1033 |                          |
| 858 | 15   | 9-Feb-26  | 1133       | 1233     | 6.60968     | 13.07              | 8.74                  | 957681.3         |                            |                          |
| 859 | 15   | 9-Feb-26  | 1233       | 1333     | 6.29934     | 12.66              | 9.11                  | 943503.5         |                            |                          |
| 860 | 15   | 9-Feb-26  | 1333       | 1433     | 5.92981     | 11.91              | 9.04                  | 944577.7         |                            |                          |
| 861 | 15   | 9-Feb-26  | 1433       | 1533     | 4.34284     | 8.93               | 7.27                  | 857623.8         | End of Day                 | 7.864                    |

FEB 10, 2026: No active ventilation activities. Maintenance. Notified DOH.

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#   | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|---|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 862   | 15   | 11-Feb-26 | 0815       | 0915     | 2.10672     | 3.89               | 0.86                  | 833391.1         | Tank 15 Damper Opened 0834 |                          |
| 863   | 15   | 11-Feb-26 | 0915       | 1015     | 4.90393     | 8.1                | 5.16                  | 1150233.2        |                            |                          |
| 864   | 15   | 11-Feb-26 | 1015       | 1115     | 4.01553     | 6.7                | 5.1                   | 1140796.5        |                            |                          |
| 865   | 15   | 11-Feb-26 | 1115       | 1215     | 5.40484     | 9.01               | 7.01                  | 1142323.2        |                            |                          |
| 866   | 15   | 11-Feb-26 | 1215       | 1315     | 5.07914     | 8.39               | 6.9                   | 1153334.7        |                            |                          |
| 867   | 15   | 11-Feb-26 | 1315       | 1415     | 3.71461     | 6.31               | 5.73                  | 1027218.2        | End of Day                 | 5.127                    |
| 868   | 15   | 12-Feb-26 | 0724       | 0824     | 1.62325     | 2.91               | 2.15                  | 678981.7         | Tank 15 Damper Opened 0757 |                          |
| 869   | 15   | 12-Feb-26 | 0824       | 0924     | 4.83252     | 8.4                | 5.98                  | 1089769.9        |                            |                          |
| 870   | 15   | 12-Feb-26 | 0924       | 1024     | 4.69031     | 8.15               | 6.7                   | 1091709.6        |                            |                          |
| 871   | 15   | 12-Feb-26 | 1024       | 1124     | 4.50057     | 7.8                | 6.72                  | 1095358.4        |                            |                          |
| 872   | 15   | 12-Feb-26 | 1124       | 1224     | 4.05578     | 7.03               | 6.22                  | 1094514.6        |                            |                          |
| 873   | 15   | 12-Feb-26 | 1224       | 1324     | 3.83571     | 6.63               | 5.85                  | 1097375.1        |                            |                          |
| 874   | 15   | 12-Feb-26 | 1324       | 1424     | 3.08209     | 5.48               | 5.62                  | 1025642.6        | End of Day                 | 5.606                    |
| <i>FEB 13, 2026: No active ventilation activities. Contractor work in the system. Notified DOH.</i> |      |           |            |          |             |                    |                       |                  |                            |                          |
| <i>FEB 16, 2026: No active ventilation activities. Holiday.</i>                                     |      |           |            |          |             |                    |                       |                  |                            |                          |
| 875   | 15   | 17-Feb-26 | 0834       | 0934     | 2.17584     | 3.65               | 2.19                  | 1065362.7        | Tank 15 Damper Opened 0842 |                          |
| 876   | 15   | 17-Feb-26 | 0934       | 1034     | 2.57317     | 4.35               | 3.46                  | 1121075.3        |                            |                          |
| 877   | 15   | 17-Feb-26 | 1034       | 1134     | 2.51847     | 4.27               | 3.46                  | 1119601.3        |                            |                          |
| 878   | 15   | 17-Feb-26 | 1134       | 1234     | 2.48383     | 4.26               | 3.46                  | 1106903.1        |                            |                          |
| 879   | 15   | 17-Feb-26 | 1234       | 1334     | 2.4844      | 4.29               | 3.48                  | 1101332.2        |                            |                          |
| 880   | 15   | 17-Feb-26 | 1334       | 1434     | 2.81044     | 4.82               | 4.21                  | 1107422.6        |                            |                          |
| 881   | 15   | 17-Feb-26 | 1434       | 1534     | 2.81133     | 4.83               | 4.15                  | 1107120.2        |                            |                          |
| 882   | 15   | 17-Feb-26 | 1534       | 1541     | 0.07465     | 0.33               | 3.29                  | 35830.1          | End of Day                 | 3.463                    |
| 883   | 15   | 18-Feb-26 | 0737       | 0837     | 1.64243     | 2.79               | 2.34                  | 1061543.8        | Tank 15 Damper Opened 0740 |                          |
| 884   | 15   | 18-Feb-26 | 0837       | 0937     | 2.03629     | 3.48               | 2.82                  | 1108022.3        |                            |                          |
| 885   | 15   | 18-Feb-26 | 0937       | 1037     | 2.87753     | 4.88               | 4.04                  | 1117806.2        |                            |                          |
| 886   | 15   | 18-Feb-26 | 1037       | 1137     | 2.9025      | 4.94               | 4.19                  | 1115865.3        |                            |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID# | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|-----|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 887 | 15   | 18-Feb-26 | 1137       | 1237     | 2.93755     | 5.05               | 4.27                  | 1105098.9        |                            |                          |
| 888 | 15   | 18-Feb-26 | 1237       | 1337     | 2.89797     | 5.03               | 4.28                  | 1094868.4        |                            |                          |
| 889 | 15   | 18-Feb-26 | 1337       | 1437     | 2.70954     | 4.71               | 4.28                  | 1093300.4        |                            |                          |
| 890 | 15   | 18-Feb-26 | 1437       | 1537     | 1.75963     | 3.25               | 3.67                  | 898758.1         | End of Day                 | 3.736                    |
| 891 | 15   | 19-Feb-26 | 0720       | 0820     | 0.29022     | 0.54               | 1.07                  | 987816.8         | Tank 15 Damper Opened 0732 |                          |
| 892 | 15   | 19-Feb-26 | 0820       | 0920     | 1.3408      | 2.35               | 1.82                  | 1073991.7        |                            |                          |
| 893 | 15   | 19-Feb-26 | 0920       | 1020     | 1.81268     | 3.18               | 2.65                  | 1080261.2        |                            |                          |
| 894 | 15   | 19-Feb-26 | 1020       | 1120     | 1.11003     | 1.98               | 2.01                  | 1061803.8        |                            |                          |
| 895 | 15   | 19-Feb-26 | 1120       | 1220     | 0.95674     | 1.72               | 1.86                  | 1057262          |                            |                          |
| 896 | 15   | 19-Feb-26 | 1220       | 1320     | 1.18172     | 2.12               | 2.17                  | 1056436.2        |                            |                          |
| 897 | 15   | 19-Feb-26 | 1320       | 1420     | 2.01833     | 3.6                | 3.02                  | 1062242.9        |                            |                          |
| 898 | 15   | 19-Feb-26 | 1420       | 1520     | 2.42098     | 4.33               | 4.02                  | 1060563.9        |                            |                          |
| 899 | 15   | 19-Feb-26 | 1520       | 1543     | 0.2851      | 0.56               | 2.33                  | 315952.4         | End of Day                 | 2.328                    |
| 900 | 15   | 20-Feb-26 | 0740       | 0840     | 1.2644      | 2.2                | 1.57                  | 980986.7         | Tank 15 Damper Opened 0751 |                          |
| 901 | 15   | 20-Feb-26 | 0840       | 0940     | 2.02338     | 3.49               | 2.65                  | 1097299.8        |                            |                          |
| 902 | 15   | 20-Feb-26 | 0940       | 1040     | 2.43443     | 4.2                | 3.47                  | 1098494.8        |                            |                          |
| 903 | 15   | 20-Feb-26 | 1040       | 1140     | 2.80302     | 4.84               | 4.26                  | 1098874.9        |                            |                          |
| 904 | 15   | 20-Feb-26 | 1140       | 1240     | 3.01441     | 5.2                | 4.59                  | 1097609.7        |                            |                          |
| 905 | 15   | 20-Feb-26 | 1240       | 1340     | 3.28395     | 5.71               | 5.07                  | 1089204.5        |                            |                          |
| 906 | 15   | 20-Feb-26 | 1340       | 1440     | 2.91353     | 5.11               | 5.08                  | 1080892.1        |                            |                          |
| 907 | 15   | 20-Feb-26 | 1440       | 1522     | 1.26905     | 2.37               | 4.06                  | 627090.3         | End of Day                 | 3.844                    |
| 908 | 15   | 23-Feb-26 | 0754       | 0854     | 1.44002     | 2.54               | 1.56                  | 963036.5         | Tank 15 Damper Opened 0754 |                          |
| 909 | 15   | 23-Feb-26 | 0854       | 0954     | 2.40896     | 4.24               | 2.94                  | 1074642.8        |                            |                          |
| 910 | 15   | 23-Feb-26 | 0954       | 1054     | 1.35102     | 2.37               | 2.7                   | 1076092.2        |                            |                          |
| 911 | 15   | 23-Feb-26 | 1054       | 1154     | 0.20585     | 0.36               | 1.03                  | 1078936.7        |                            |                          |
| 912 | 15   | 23-Feb-26 | 1154       | 1254     | 0.13913     | 0.25               | 0.23                  | 1069086.9        |                            |                          |
| 913 | 15   | 23-Feb-26 | 1254       | 1354     | 0.36759     | 0.66               | 0.67                  | 1061707.7        |                            |                          |
| 914 | 15   | 23-Feb-26 | 1354       | 1454     | 0.1693      | 0.3                | 0.33                  | 1067229.9        |                            |                          |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.



| ID#  | Tank | Date      | Start Time | End Time | VOC (lb/hr) | VOC (ppmV) pre-mix | VOC (ppmV) Vent Stack | Flow Rate (SCFH) | Notes                      | Daily Average Vent Stack |
|--|------|-----------|------------|----------|-------------|--------------------|-----------------------|------------------|----------------------------|--------------------------|
| 915  | 15   | 23-Feb-26 | 1454       | 1519     | 0.02259     | 0.1                | 0.24                  | 175383.5         | End of Day                 | 1.213                    |
| 916  | 15   | 24-Feb-26 | 0656       | 0756     | 0.11598     | 0.25               | 0.56                  | 881020.4         | Tank 15 Damper Opened 0717 |                          |
| 917  | 15   | 24-Feb-26 | 0756       | 0856     | 1.5223      | 2.64               | 1.35                  | 1078205.7        |                            |                          |
| 918  | 15   | 24-Feb-26 | 0856       | 0956     | 4.64506     | 8.04               | 5.56                  | 1091442          |                            |                          |
| 919  | 15   | 24-Feb-26 | 0956       | 1056     | 4.86925     | 8.43               | 6.8                   | 1093251.2        |                            |                          |
| 920  | 15   | 24-Feb-26 | 1056       | 1156     | 5.03995     | 9.49               | 7.82                  | 1004426.7        |                            |                          |
| 921  | 15   | 24-Feb-26 | 1156       | 1256     | 5.0753      | 9.9                | 8.68                  | 965879.6         |                            |                          |
| 922  | 15   | 24-Feb-26 | 1256       | 1356     | 5.24443     | 9.29               | 8.66                  | 1069694.9        |                            |                          |
| 923  | 15   | 24-Feb-26 | 1356       | 1456     | 3.49174     | 6.98               | 7.52                  | 765341.5         | End of Day                 | 5.869                    |
| 924  | 15   | 25-Feb-26 | 0712       | 0812     | 0.68396     | 1.21               | 1.21                  | 922480.1         | Tank 15 Damper Opened 0722 |                          |
| 925  | 15   | 25-Feb-26 | 0812       | 0912     | 2.92135     | 4.99               | 3.88                  | 1105085.5        |                            |                          |
| 926  | 15   | 25-Feb-26 | 0912       | 1012     | 3.01525     | 5.18               | 4.66                  | 1100217.8        |                            |                          |
| 927  | 15   | 25-Feb-26 | 1012       | 1112     | 3.25103     | 5.61               | 5.07                  | 1096658.1        |                            |                          |
| 928  | 15   | 25-Feb-26 | 1112       | 1212     | 3.38547     | 5.82               | 5.26                  | 1101212.8        |                            |                          |
| 929  | 15   | 25-Feb-26 | 1212       | 1312     | 3.37637     | 5.82               | 5.85                  | 1098982.9        |                            |                          |
| 930  | 15   | 25-Feb-26 | 1312       | 1412     | 3.34229     | 5.82               | 5.85                  | 1088376.2        |                            |                          |
| 931  | 15   | 25-Feb-26 | 1412       | 1451     | 1.43680     | 2.69               | 5.02                  | 592455.1         | End of Day                 | 4.60                     |
| <p><i>FEB 26, 2026 - MAR 16, 2026: Tank ventilation activities for Tank 15 complete. NCTF-RH has met the DOH requirement of below 4.82 lbs/hr undiluted total VOC concentrations and demonstrated readings below 15 ppmv from Tank 15 on FEB 25, 2026. Tank 15 disconnected and manway removed. No active forced ventilation activities. Notified DOH. Preparatory work for Tank 12 ventilation.</i></p> |      |           |            |          |             |                    |                       |                  |                            |                          |
| 932  | 12   | 17-Mar-26 | 1215       | 1315     | 8.21687     | 13.67              | 2.16                  | 1109417.5        | Tank 12 Damper Opened 1235 |                          |
| 933  | 12   | 17-Mar-26 | 1315       | 1415     | 24.29857    | 40.48              | 7.03                  | 1119342.1        |                            |                          |
| 934  | 12   | 17-Mar-26 | 1415       | 1515     | 22.23526    | 38.05              | 7.65                  | 1054023.7        | End of Day                 | 5.613                    |

\* Data excludes weekends/federal holidays and/or breaks in venting operations.