

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
1	8	30-May-24	0846	0946	0.69029	1.52	0.2	854134.2		
2	8	30-May-24	1046	1146	0.66645	1.53	5.27	819171.1		
3	8	30-May-24	1146	1246	0.38417	7.44	0.21	469380.6		
4	8	30-May-24	1246	1346	0.00155	3.04	0.22	901.1	Shutdown	
5	8	30-May-24	1331	1431	0.52718	1.54	11.82	646060.9		
6	8	30-May-24	1431	1531	0.66469	1.54	17.36	816971.3		
7	8	30-May-24	1531	1631	0.69253	1.53	16.66	853384.4		
8	8	30-May-24	1631	1731	0.66666	1.53	18.9	819425	End of Day	8.830
9	8	31-May-24	0808	0908	24.28599	55.23	14.22	832866.2		
10	8	31-May-24	0908	1008	32.61716	78.38	16.77	780447.8		
11	8	31-May-24	1008	1108	29.32214	69.6	16.12	791866.3		
12	8	31-May-24	1108	1208	25.67597	60.84	14.17	793481.9	revised - correction factor added to data	
13	8	31-May-24	1208	1308	22.65564	53.15	12.36	802841.6		
14	8	31-May-24	1308	1408	22.93133	44.83	9.69	964209.2		
15	8	31-May-24	1408	1508	20.33346	38.96	8.18	987594.3		
16	8	31-May-24	1508	1608	21.3014	37.81	7.43	1059270.1		
17	8	31-May-24	1608	1708	34.39457	60.96	6.49	1064712.1	End of Day	11.714
18	8	03-Jun-24	0751	0851	23.96625	73.47	10.88	620603.3		
19	8	03-Jun-24	0851	0951	31.27616	93.37	17.74	627396.6		
20	8	03-Jun-24	0951	1051	29.34022	83.28	17.41	662611.9		
21	8	03-Jun-24	1051	1151	36.53655	76.2	16.89	903970.6		
22	8	03-Jun-24	1151	1251	32.15279	67.67	14.86	899251.7		
23	8	03-Jun-24	1251	1351	28.33333	59.36	12.29	905109.4		
24	8	03-Jun-24	1351	1451	23.58283	50.69	9.01	878727		
25	8	03-Jun-24	1451	1551	18.72639	43.27	6.39	817038.8		
26	8	03-Jun-24	1551	1651	16.77977	40.34	5.16	785007.5		
27	8	03-Jun-24	1651	1751	10.74296	25.77	2.81	790263.4	End of Day	11.344
28	8	04-Jun-24	0654	0754	6.92794	16.08	1.27	814492.5		
29	8	04-Jun-24	0754	0854	12.51555	28.84	2.32	815909.9		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
30	8	04-Jun-24	0854	0954	10.83086	26.82	1.68	759548.5		
31	8	04-Jun-24	0954	1054	11.04559	27.76	1.62	750212.8		
32	8	04-Jun-24	1054	1154	11.12202	27.89	1.63	753120.8		
33	8	04-Jun-24	1154	1254	11.63371	28.46	1.59	772237.7		
34	8	04-Jun-24	1254	1354	18.08503	36.17	3.43	948351		
35	8	04-Jun-24	1354	1454	14.65221	30.46	2.04	908008.1		
36	8	04-Jun-24	1454	1554	15.44483	29.9	1.96	976610.5		
37	8	04-Jun-24	1554	1654	13.96251	27.06	2.25	981172.2		
38	8	04-Jun-24	1654	1754	7.84478	19.32	1.14	694112.9	End of Day	1.903
39	8	05-Jun-24	0801	0901	1.66557	8.83	0.2	804050.7		
40	8	05-Jun-24	0901	1001	6.00988	21.5	0.73	982288		
41	8	05-Jun-24	1001	1101	6.79053	22.53	1.61	1000875.7		
42	8	05-Jun-24	1101	1201	5.95322	19.61	0.96	1004884.3		
43	8	05-Jun-24	1201	1301	5.22074	17.49	0.22	1003832.3		
44	8	05-Jun-24	1301	1401	4.70069	16	0.22	1010293.6		
45	8	05-Jun-24	1401	1501	4.24666	14.58	0.22	1010309.8		
46	8	05-Jun-24	1501	1601	3.9973	13.69	0.22	1012809.8		
47	8	05-Jun-24	1601	1648	1.13747	10.69	0.22	310197	End of Day	0.511
48	8	06-Jun-24	0819	0919	0.94464	14.42	0.2	872548.5		
49	8	06-Jun-24	0919	1019	1.58352	16.11	0.21	865697.8		
50	7 and 8	06-Jun-24	1019	1119	7.06347	28.86	1.37	864091.1	Tank 7 and 8 fully connected	
51	7 and 8	06-Jun-24	1119	1219	22.19025	60.62	6.25	875027.1		
52	7 and 8	06-Jun-24	1219	1319	20.99472	40.26	9.44	890110.5		
53	7 and 8	06-Jun-24	1319	1419	38.06781	83	19.47	873416.8		
54	7 and 8	06-Jun-24	1419	1519	37.65721	82.85	18.29	864400.2		
55	7 and 8	06-Jun-24	1519	1619	12.80828	27.16	5.98	628630.1	End of Day	7.651
56	7 and 8	07-Jun-24	0826	0926	24.76477	54.95	10.46	852547.6		
57	7 and 8	07-Jun-24	0926	1026	38.19628	84.91	18.07	848197		
58	7 and 8	07-Jun-24	1026	1126	38.09437	84.18	17.85	854968.3		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
59	7 and 8	07-Jun-24	1126	1226	35.92076	78.45	16.92	868145.8		
60	7 and 8	07-Jun-24	1226	1326	37.50066	75.51	17.87	944479		
61	7 and 8	07-Jun-24	1326	1426	40.05271	74.55	18.05	1025354.6		
62	7 and 8	07-Jun-24	1426	1526	27.7495	54.6	11.74	944917.1		
63	7 and 8	07-Jun-24	1526	1603	1.60406	8.83	1.58	176666.1	End of Day	14.068
64	7 and 8	10-Jun-24	0714	0814	18.46641	36.66	7.54	926299.6		
65	7 and 8	10-Jun-24	0814	0914	21.87917	43.28	11.37	951696.3		
66	7 and 8	10-Jun-24	0914	1014	21.46372	42.5	11.27	952793.5		
67	7 and 8	10-Jun-24	1014	1114	19.50815	38.8	9.84	951032.7		
68	7 and 8	10-Jun-24	1114	1214	21.56252	43.1	11.49	947883.9		
69	7 and 8	10-Jun-24	1214	1314	26.38464	45.34	12.33	1100555.9		
70	7 and 8	10-Jun-24	1314	1414	27.46776	43.76	12.24	1198179		
71	7 and 8	10-Jun-24	1414	1514	22.27284	36.1	9.43	1154019		
72	7 and 8	10-Jun-24	1514	1614	4.00353	5.99	0.88	407929.5	End of Day	9.599
73	7 and 8	11-Jun-24	0750	0850	14.74997	26.35	2.65	1052816.6		
74	7 and 8	11-Jun-24	0850	0950	16.38939	29.37	4.06	1053283.4		
75	7 and 8	11-Jun-24	0950	1050	14.9791	26.9	3.18	1053567.7		
76	7 and 8	11-Jun-24	1050	1150	14.19104	25.59	2.55	1050949.9		
77	7 and 8	11-Jun-24	1150	1250	14.15146	25.69	2.4	1046656		
78	7 and 8	11-Jun-24	1250	1350	13.16148	24.01	1.88	1043309.8		
79	7 and 8	11-Jun-24	1350	1450	12.37339	22.35	1.53	1053249		
80	7 and 8	11-Jun-24	1450	1537	6.21096	12.71	0.47	675060.6	End of Day	0.243
81	7 and 8	12-Jun-24	0731	0831	8.56865	16.25	0.2	978051.3		
82	7 and 8	12-Jun-24	0831	0931	9.53319	17.77	0.28	1009580.7		
83	7 and 8	12-Jun-24	0931	1031	9.44795	17.66	0.21	1007091.4		
84	7 and 8	12-Jun-24	1031	1131	9.40825	17.82	0.21	994262		
85	7 and 8	12-Jun-24	1131	1231	9.28023	17.78	0.21	983907.2		
86	7 and 8	12-Jun-24	1231	1331	9.41571	18.07	0.21	983716.4		
87	7 and 8	12-Jun-24	1331	1431	14.21991	23.12	0.4	1155499.9		
88	7 and 8	12-Jun-24	1431	1531	14.30324	22.67	0.22	1193175.3		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
89	7 and 8	12-Jun-24	1531	1616	3.08446	10.02	0.22	342319.5	End of Day	0.240
90	7 and 8	13-Jun-24	0742	0842	7.08453	11.9	0.2	926964.4		
91	7 and 8	13-Jun-24	0842	0942	12.93243	20.14	0.43	1207939.9		
92	7 and 8	13-Jun-24	0942	1042	11.26241	17.35	0.21	1231458.1		
93	7 and 8	13-Jun-24	1042	1142	8.67364	12.27	0.21	1349096.1		
94	7 and 8	13-Jun-24	1142	1242	7.37995	10.43	0.22	1352700.2		
95	7 and 8	13-Jun-24	1242	1342	6.79699	9.61	0.22	1353327.2		
96	7 and 8	13-Jun-24	1342	1442	6.49944	9.6	0.22	1299869.5		
97	7 and 8	13-Jun-24	1442	1542	4.1443	7.79	0.22	948563.9	End of Day	0.241
98	7 and 8	14-Jun-24	0641	0741	3.11148	5.41	0.2	966697.7		
99	7 and 8	14-Jun-24	0741	0841	6.17575	9.46	0.2	1233936.7		
100	7 and 8	14-Jun-24	0841	0941	5.86608	9.02	0.21	1231344.3		
101	7 and 8	14-Jun-24	0941	1041	4.40084	7.28	0.21	1119064.8		
102	7 and 8	14-Jun-24	1041	1055	0.0554	0.69	0.22	26199.5	End of Day	0.208
103	7 and 8	17-Jun-24	0800	0900	2.5165	4.36	0.2	841535.5		
104	7 and 8	17-Jun-24	0900	1000	7.57022	10.72	0.21	1336667.5		
105	7 and 8	17-Jun-24	1000	1100	8.27894	11.33	0.21	1389178.7		
106	7 and 8	17-Jun-24	1100	1200	7.33361	10.07	0.22	1385906		
107	7 and 8	17-Jun-24	1200	1300	6.167	8.44	0.22	1388326.3		
108	7 and 8	17-Jun-24	1300	1400	5.47366	7.52	0.22	1387440.8		
109	7 and 8	17-Jun-24	1400	1500	4.8955	6.74	0.22	1386767.7		
110	7 and 8	17-Jun-24	1500	1600	2.85923	5.22	0.22	1007122.3		
111	7 and 8	17-Jun-24	1600	1639	0.65714	2.24	0.22	318693.3	End of Day	0.216
112	7 and 8	18-Jun-24	0712	0812	0.00549	0.07	0.2	87547.6		
113	7 and 8	18-Jun-24	0812	0912	2.24139	3.36	0.2	1243238		
114	7 and 8	18-Jun-24	0912	1012	2.9508	4.44	0.2	1252132.5		
115	7 and 8	18-Jun-24	1012	1112	3.11244	4.69	0.2	1251960.4		
116	7 and 8	18-Jun-24	1112	1212	3.22975	4.91	0.21	1245764.1		
117	7 and 8	18-Jun-24	1212	1312	3.19265	4.83	0.22	1256111.7		
118	7 and 8	18-Jun-24	1312	1412	3.05642	4.61	0.22	1258610.4		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
119	7 and 8	18-Jun-24	1412	1512	2.74228	4.28	0.22	1217226.6		
120	7 and 8	18-Jun-24	1512	1545	0.64343	1.68	0.21	298787.4	End of Day	0.209
121	7 and 8	19-Jun-24	0722	0822	1.68186	2.9	0.23	960543.5		
122	7 and 8	19-Jun-24	0822	0922	2.54558	4.38	0.21	1098237.3		
123	7 and 8	19-Jun-24	0922	1022	2.33381	4.02	0.21	1101715.8		
124	7 and 8	19-Jun-24	1022	1122	2.11157	3.62	0.22	1108468.7		
125	7 and 8	19-Jun-24	1122	1222	1.95754	3.36	0.22	1106827.8		
126	7 and 8	19-Jun-24	1222	1322	1.8716	3.14	0.22	1109061.5		
127	7 and 8	19-Jun-24	1322	1422	1.83859	3.13	0.22	1118324.4		
128	7 and 8	19-Jun-24	1422	1522	1.80568	3.07	0.22	1115638.5		
129	7 and 8	19-Jun-24	1522	1555	0.60823	1.32	0.22	380170	End of Day	0.219
<i>20 JUN 2024 - 03 SEP 2024: No active exhaust activities for Tanks 7 and 8. DOH notified.</i>										
130	6	04-Sep-24	1216	1316	0.55256	1.12	0.23	907965.2	Tank 6 start - damper cracked at 1301	
131	6	04-Sep-24	1316	1416	22.92122	44.45	10.44	976292		
132	6	04-Sep-24	1416	1516	15.63419	30.52	8.16	974203.2		
133	6	04-Sep-24	1516	1605	8.3151	16.01	5.76	754401.2	End of Day	6.148
134	6	05-Sep-24	0822	0922	16.82219	35.12	7.82	868589.8	Tank 6 damper opened at 0830	
135	6	05-Sep-24	0922	1022	19.89815	40.86	11.57	916734.9		
136	6	05-Sep-24	1022	1122	30.1385	61.18	16.02	928493.2		
137	6	05-Sep-24	1122	1222	40.10072	78.53	22.2	968396.4		
138	6	05-Sep-24	1222	1322	39.8012	78.08	23.24	969214.8		
139	6	05-Sep-24	1322	1422	38.86978	74.29	22.49	995391.5		
140	6	05-Sep-24	1422	1522	37.89839	71.54	21.64	1008219.1		
141	6	05-Sep-24	1522	1603	9.3689	17.84	8.05	602008.6	End of Day	16.629
142	6	06-Sep-24	0805	0905	26.99456	53	10.36	770542.6	Tank 6 damper open at 0820	
143	6	06-Sep-24	0905	1005	39.09139	77.36	17.15	951333.2		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
144	6	06-Sep-24	1005	1105	35.94026	70.59	17.18	963262.7		
145	6	06-Sep-24	1105	1205	37.84538	72.88	19.13	985235.9		
146	6	06-Sep-24	1205	1305	38.73581	73.1	20.56	1008217.3		
147	6	06-Sep-24	1305	1405	38.14498	72.2	20.93	1006227.6		
148	6	06-Sep-24	1405	1505	39.04869	72.24	21.21	1028718.4		
149	6	06-Sep-24	1505	1605	32.08548	56.35	17.3	1043662.4	End of Day	17.978
150	6	09-Sep-24	0742	0842	26.69666	45.16	7.96	1062241.8	Tank 6 damper open 0748	
151	6	09-Sep-24	0842	0942	42.82245	72.21	15	1114585.4		
152	6	09-Sep-24	0942	1042	40.17129	67.4	16.23	1125285		
153	6	09-Sep-24	1042	1142	38.30729	64.97	16.85	1116878.8		
154	6	09-Sep-24	1142	1242	38.77697	66.97	18.33	1097794.5		
155	6	09-Sep-24	1242	1342	40.72594	70.73	20.78	1091338.6		
156	6	09-Sep-24	1342	1442	44.89909	75.56	24.31	1125870.5		
157	6	09-Sep-24	1442	1542	43.19609	72.42	23.18	1127595.6		
158	6	09-Sep-24	1542	1603	3.99775	7.49	6.76	300422.2	End of Day	16.600
159	6	10-Sep-24	0725	0825	27.73224	46	8.36	1096315.6	Tank 6 damper open at 0738	
160	6	10-Sep-24	0825	0925	39.41793	65.43	13.67	1130866.5		
161	6	10-Sep-24	0925	1025	38.38966	63.81	15.67	1135288		
162	6	10-Sep-24	1025	1125	39.90446	72.35	21.66	1047112.9		
163	6	10-Sep-24	1125	1225	42.96645	77.69	25.38	1052659.5		
164	6	10-Sep-24	1225	1325	41.51504	74.61	24.92	1061505.3		
165	6	10-Sep-24	1325	1425	42.54719	76.46	26.55	1063416		
166	6	10-Sep-24	1425	1525	41.43044	71.05	24.38	1111632.5		
167	6	10-Sep-24	1525	1551	6.89576	12.42	9.75	391610.1	End of Day	18.927
168	6	11-Sep-24	0753	0853	39.0254	65.57	16.5	1101273.8	Tank 6 damper open at 0800	
169	6	11-Sep-24	0853	0953	41.87945	74.19	22.09	1067198.3		
170	6	11-Sep-24	0953	1053	42.11203	75.02	24.66	1064476.9		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
171	6	11-Sep-24	1053	1153	46.16943	81.36	29.65	1081754.8		
172	6	11-Sep-24	1153	1253	42.3833	75.37	27.66	1075467.5		
173	6	11-Sep-24	1253	1353	41.76012	74.35	28.27	1076496.9		
174	6	11-Sep-24	1353	1453	42.5816	75.02	28.86	1087693.7		
175	6	11-Sep-24	1453	1553	38.30856	66.53	24.7	1105868.9		
176	6	11-Sep-24	1553	1653	0.19676	4.09	4.18	29659.7	End of Day	22.952
177	6	12-Sep-24	0719	0819	32.17483	56.23	16.2	1016746.6	Tank 6 damper open at 0729	
178	6	12-Sep-24	0819	0919	41.58706	73.07	24.05	1074687.6		
179	6	12-Sep-24	0919	1019	38.38674	67.79	23.24	1072987.5		
180	6	12-Sep-24	1019	1119	35.43933	62.8	21.9	1072638.5		
181	6	12-Sep-24	1119	1219	21.1247	37.51	12.89	1074470.6		
182	6	12-Sep-24	1219	1319	13.37974	23.48	6.98	1088260.3		
183	6	12-Sep-24	1319	1419	9.13028	16.09	3.42	1084809.2		
184	6	12-Sep-24	1419	1519	28.32259	49.1	13.59	1102921.3		
185	6	12-Sep-24	1519	1539	5.05139	9.35	8.16	291041	End of Day	14.492
186	6	13-Sep-24	0724	0824	7.80759	13.35	2.25	1038168.9	Tank 6 damper open at 0732	
187	6	13-Sep-24	0824	0924	6.26766	10.73	0.96	1105289.7		
188	6	13-Sep-24	0924	1024	7.18928	12.27	0.88	1111962.7		
189	6	13-Sep-24	1024	1124	8.12	14.02	1.63	1102369		
190	6	13-Sep-24	1124	1224	8.84941	15.36	2.54	1101267.1		
191	6	13-Sep-24	1224	1324	11.40593	19.68	3.58	1107586.6		
192	6	13-Sep-24	1324	1424	6.97591	11.96	1.12	1116225		
193	6	13-Sep-24	1424	1524	35.67479	61.39	16.51	1101755.4	End of Day	4.704
194	6	16-Sep-24	0734	0834	28.48551	61.63	12.82	784040.2	Tank 6 damper open at 0744	
195	6	16-Sep-24	0834	0934	23.8409	51.92	12.15	865942.7		
196	6	16-Sep-24	0934	1034	12.84313	28.26	6.76	862734		
197	6	16-Sep-24	1034	1134	10.11027	22.2	4.47	865976.5		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
198	6	16-Sep-24	1134	1234	7.47234	16.5	2.77	875399.3		
199	6	16-Sep-24	1234	1334	10.63412	21.91	2.85	925299.9		
200	6	16-Sep-24	1334	1434	11.61053	23.14	5.15	957836.7		
201	6	16-Sep-24	1434	1527	16.98778	33.67	9.61	825930		
202	6	16-Sep-24	1527	1614	19.31505	38.43	13.8	682701.1	End of Day	7.820
203	6	17-Sep-24	0745	0845	5.58963	12.2	2.02	835263.5	Tank 6 damper open at 0749	
204	6	17-Sep-24	0845	0945	20.8392	43.79	9.19	897369.6		
205	6	17-Sep-24	0945	1045	39.64403	82.73	22.9	908337.2		
206	6	17-Sep-24	1045	1145	41.46931	81.36	24.65	968945.8		
207	6	17-Sep-24	1145	1245	38.25541	74.73	23.51	976030.1		
208	6	17-Sep-24	1245	1345	41.1279	77.79	25.18	1009076		
209	6	17-Sep-24	1345	1445	39.63312	74.2	23.74	1019405.7		
210	6	17-Sep-24	1445	1545	27.23365	50.98	15.63	975468.5	End of Day	18.353
211	6	18-Sep-24	0713	0813	14.10098	29.58	4.36	831903.6	Tank 6 damper open at 0719	
212	6	18-Sep-24	0813	0913	41.96977	87.99	17.39	899552.8		
213	6	18-Sep-24	0913	1013	43.25459	85.51	24.06	972400.1		
214	6	18-Sep-24	1013	1113	38.37136	71	17.87	1029225.1		
215	6	18-Sep-24	1113	1213	35.54381	68.86	15.28	983027.3		
216	6	18-Sep-24	1213	1313	32.78894	64.02	14.34	977487.3		
217	6	18-Sep-24	1313	1413	28.94777	56.24	12.4	983141.5		
218	6	18-Sep-24	1413	1513	26.01305	49.55	8.7	1002275.2		
219	6	18-Sep-24	1513	1603	12.7299	25.63	5.3	701874.4	End of Day	13.300
220	6	19-Sep-24	0700	0800	7.78445	15.48	1.54	852093.1	Tank 6 damper open at 0707	
221	6	19-Sep-24	0800	0900	15.05505	30.14	4.74	941104.5		
222	6	19-Sep-24	0900	1000	15.89738	31.8	6.01	944222.7		
223	6	19-Sep-24	1000	1100	7.82937	15.74	2.41	940818		
224	6	19-Sep-24	1100	1200	15.53583	29.49	6.88	1004179.6		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
225	6	19-Sep-24	1200	1300	14.89601	25.98	5.67	1093549.2		
226	6	19-Sep-24	1300	1400	13.69673	23.92	4.75	1092086.3		
227	6	19-Sep-24	1400	1500	12.8195	21.62	4.2	1134305.9		
228	6	19-Sep-24	1500	1600	9.84012	17.3	2.92	1007152.5	End of Day	4.347
229	6	20-Sep-24	0722	0822	6.9724	13.27	2.48	869085.4	Tank 6 damper open at 0730	
230	6	20-Sep-24	0822	0922	10.00877	19.29	4.45	981263.8		
231	6	20-Sep-24	0922	1022	9.54347	18.15	4.45	996176.4		
232	6	20-Sep-24	1022	1122	8.64026	16.48	3.75	994371.9		
233	6	20-Sep-24	1122	1222	7.68909	14.94	3.59	980188.5		
234	6	20-Sep-24	1222	1322	7.26355	13.84	3.02	998738.4		
235	6	20-Sep-24	1322	1422	6.85988	12.93	2.5	1008979.4		
236	6	20-Sep-24	1422	1522	6.40192	12.08	2.34	1009492.1		
237	6	20-Sep-24	1522	1622	1.98778	4.49	1.32	343321.6	End of Day	3.100
<i>23-24 SEP 2024: No active exhaust activities. Flowmeter Troubleshooting. DOH notified.</i>										
238	6	25-Sep-24	1000	1100	9.43194	23.87	7.4	763047.4	Tank 6 damper open at 1001	
239	6	25-Sep-24	1100	1200	14.99134	25.8	5.66	1105379.7		
240	6	25-Sep-24	1200	1300	12.72949	21.26	4.11	1143296		
241	6	25-Sep-24	1300	1400	11.02534	18.06	3.31	1166639.3		
242	6	25-Sep-24	1400	1500	9.51268	15.53	2.11	1170014		
243	6	25-Sep-24	1500	1600	7.73232	13.22	1.59	1111305.7		
244	6	25-Sep-24	1600	1621	0.42811	1.74	0.96	134978.6		3.591
245	6	26-Sep-24	0718	0818	4.66399	8.42	0.36	1010125	Tank 6 damper open at 0721	
246	6	26-Sep-24	0818	0918	7.15401	12.31	1.05	1100233.4		
247	6	26-Sep-24	0918	1018	6.92677	11.22	0.88	1171742.4		
248	6	26-Sep-24	1018	1118	6.18641	10.05	0.37	1170596.2		
249	6	26-Sep-24	1118	1218	5.41969	8.89	0.22	1162651.5		
250	6	26-Sep-24	1218	1318	4.9801	8.05	0.22	1179941.8		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
251	6	26-Sep-24	1318	1418	4.59404	7.46	0.22	1177402		
252	6	26-Sep-24	1418	1518	4.27109	6.94	0.23	1178288.4		
253	6	26-Sep-24	1518	1618	2.37034	5.23	0.27	661341.5	End of Day	0.424
254	6	27-Sep-24	0929	1029	2.73298	4.54	0.22	1067355.1	Tank 6 damper open at 0929	
255	6	27-Sep-24	1029	1129	4.52315	7.31	0.22	1174850.5		
256	6	27-Sep-24	1129	1229	4.17948	6.82	0.22	1165812.1		
257	6	27-Sep-24	1229	1329	3.8785	6.43	0.22	1149604.6		
258	6	27-Sep-24	1329	1429	3.54243	5.92	0.22	1140948.5		
259	6	27-Sep-24	1429	1529	2.94928	5.21	0.22	1068011.4		
260	6	27-Sep-24	1529	1546	0.35748	0.88	0.22	205467.6	End of Day	0.220
260.1	6	30-Sep-24	0700	0800	3.87385	7.34	0.8	909921.4	Tank 6 damper open at 0708	
260.2	6	30-Sep-24	0800	0900	6.44872	10.64	1.62	1138629.9		
261	6	30-Sep-24	0900	1000	5.62967	9.32	1.62	1139252.8		
262	6	30-Sep-24	1000	1100	2.08121	4.73	0.55	789902.5		
263	6	30-Sep-24	1100	1200	0.61896	1.61	0.22	725793.4		
264	6	30-Sep-24	1200	1207	0.05004	0.15	0.22	71233.2	End of Day	0.838
265	5	1-Oct-24	1257	1357	7.27283	16.48	1.03	835694	Tank 5 damper open at 1257	
266	5	1-Oct-24	1357	1457	18.87916	39.39	4.51	903372.1		
267	5	1-Oct-24	1457	1557	37.39738	75.65	12.21	943616.7		
268	5	1-Oct-24	1557	1657	27.44879	54.97	11.27	947943		
269	5	1-Oct-24	1657	1731	6.0446	13.27	4.12	432701.6	End of Day	6.628
270	5	2-Oct-24	0749	0849	20.49499	41.16	5.01	756530.4	Tank 5 damper opened at 0801	
271	5	2-Oct-24	0849	0949	43.0728	79.56	11.85	1020675.9		
272	5	2-Oct-24	0949	1049	37.57748	70.71	10.06	1007219.7		
273	5	2-Oct-24	1049	1149	39.21007	75	11.8	995002.6		
274	5	2-Oct-24	1149	1249	25.01288	49.02	8.53	958089.3		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
275	5	2-Oct-24	1249	1349	8.32321	25.67	2.45	614385.4		
276	5	2-Oct-24	1349	1449	24.42809	48.54	10.25	888343		
277	5	2-Oct-24	1449	1541	11.02408	24.84	6.75	605601	End of Day	8.338
278	5	3-Oct-24	0800	0900	2.79838	6.59	1.31	275957.4	Tank 5 damper opened at 0842	
279	5	3-Oct-24	0900	1000	28.02085	61.62	14.11	846705.6		
280	5	3-Oct-24	1000	1100	40.7737	87.06	23.69	888117		
281	5	3-Oct-24	1100	1200	36.10343	77.33	19.36	884551.7		
282	5	3-Oct-24	1200	1300	34.1088	72.86	19.29	89104		
283	5	3-Oct-24	1300	1400	32.75551	69.79	18.39	893863.3		
284	5	3-Oct-24	1400	1500	34.63645	73.16	19.37	899665		
285	5	3-Oct-24	1500	1544	9.11168	19.73	6.71	618533.3	End of Day	15.279
286	5	4-Oct-24	0700	0800	0.86117	1.8	0.2	739980.3	Tank 5 damper open at 0755	
287	5	4-Oct-24	0800	0900	41.21694	83.91	20.5	923482.7		
288	5	4-Oct-24	0900	1000	39.55765	80.68	21.71	925725.1		
289	5	4-Oct-24	1000	1100	34.18511	69.48	17.74	931589.6		
290	5	4-Oct-24	1100	1200	32.24554	65.8	16.38	928468.8		
291	5	4-Oct-24	1200	1300	34.46933	73.76	18.93	887684.3		
292	5	4-Oct-24	1300	1400	12.32151	29.51	6.31	778064.2		
293	5	4-Oct-24	1400	1405	0.11886	0.83	1.56	22630.4	End of Day	12.916
294	5	7-Oct-24	0707	0807	29.85564	78.95	13.97	698455.9	Tank 5 damper open at 0710	
295	5	7-Oct-24	0807	0907	37.90857	93.88	21.5	757709.9		
296	5	7-Oct-24	0907	1007	39.27757	88.51	23.71	838753.5		
297	5	7-Oct-24	1007	1107	38.78866	82.29	23.82	892994.4		
298	5	7-Oct-24	1107	1207	40.92936	81.61	25.58	953572		
299	5	7-Oct-24	1207	1307	38.80428	73.23	22.75	1011011		
300	5	7-Oct-24	1307	1407	38.47001	64.34	19.69	1142397.7		
301	5	7-Oct-24	1407	1507	33.97	56.42	15.74	1148583.4		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
302	5	7-Oct-24	1507	1555	10.0526	21.02	5.56	652326.3	End of Day	19.147
303	5	8-Oct-24	0700	0800	22.70166	37.64	6.76	929584	Tank 5 damper open at 0713	
304	5	8-Oct-24	0800	0900	27.83051	45.26	9.4	1161288.2		
305	5	8-Oct-24	0900	1000	19.46721	30.64	7.6	1162532.5		
306	5	8-Oct-24	1000	1100	17.09092	27.98	6.65	1158787.7		
307	5	8-Oct-24	1100	1200	14.81543	24.5	5.49	1151162.8		
308	5	8-Oct-24	1200	1300	13.24448	21.82	4.52	1157527.6		
309	5	8-Oct-24	1300	1400	11.79037	19.45	3.7	1155550		
310	5	8-Oct-24	1400	1500	10.53102	17.34	3	1158455.2		
311	5	8-Oct-24	1500	1600	5.33106	11.31	1.76	703076.2	End of Day	5.431
<i>09 OCT 2024: No active exhaust activities. Maintenance, DOH notified today.</i>										
312	5	10-Oct-24	0700	0800	0.35241	0.84	0.31	413624.9	Tank 5 damper open at 0733	
313	5	10-Oct-24	0800	0900	1.02609	2.21	0.21	868464.2		
314	5	10-Oct-24	0900	1000	1.13992	2.32	0.22	927103.7		
315	5	10-Oct-24	1000	1100	0.81783	1.67	0.22	927362.7		
316	5	10-Oct-24	1100	1200	0.63149	1.29	0.22	927077.4		
317	5	10-Oct-24	1200	1300	0.61708	1.29	0.22	911112.5		
318	5	10-Oct-24	1300	1400	0.51336	1.07	0.22	906842.7		
319	5	10-Oct-24	1400	1500	0.0448	0.35	0.22	139652.7	End of Day	0.230
320	5	11-Oct-24	1200	1300	0.55846	1.13	0.22	709693.1	Tank 5 Damper Open at 1216	
321	5	11-Oct-24	1300	1400	0.62676	1.22	0.22	978965.4		
322	5	11-Oct-24	1400	1500	0.40936	0.92	0.23	731016.6	End of Day	0.223
323	5	14-Oct-24	0700	0800	1.1862	2.27	0.23	770964.9	Tank 5 Damper Open at 0716	
324	5	14-Oct-24	0800	0900	8.15946	13.64	1.87	1080348.3		
325	5	14-Oct-24	0900	1000	12.69208	21.77	4	1097636.6		
326	5	14-Oct-24	1000	1100	10.77848	19.34	3.8	1055096.6		

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
327	5	14-Oct-24	1100	1200	11.32593	20.54	4.5	1047120.3		
328	5	14-Oct-24	1200	1300	9.30188	16.94	3.41	1043698.4		
329	5	14-Oct-24	1300	1400	8.41426	15.39	2.57	1039485.4		
330	5	14-Oct-24	1400	1500	6.04892	11.47	1.55	958042.4	End of Day	2.741
331	5	15-Oct-24	1100	1200	0.61568	1.37	0.22	744893.1	Tank 5 Damper Open at 1128	
332	5	15-Oct-24	1200	1300	3.27077	7.28	0.22	853128.1		
333	5	15-Oct-24	1300	1400	3.71953	8.3	0.42	851696.2		
334	5	15-Oct-24	1400	1500	6.78308	12.25	1.79	989825.6		
335	5	15-Oct-24	1500	1600	4.08569	9.24	1.97	494985.6	End of Day	0.924
336	5	16-Oct-24	0800	0900	5.9348	13.73	2.05	691040.3	Tank 5 Damper Open at 0812	
337	5	16-Oct-24	0900	1000	13.16307	27.88	5.31	889593		
338	5	16-Oct-24	1000	1100	11.73956	23.08	4.04	961973.3		
339	5	16-Oct-24	1100	1200	9.82415	19.34	3.01	963092.1		
340	5	16-Oct-24	1200	1300	9.95557	17.04	2.6	1111880.1		
341	5	16-Oct-24	1300	1400	8.68796	14.71	2.23	1125984		
342	5	16-Oct-24	1400	1500	7.32267	12.4	1.54	1125272		
343	5	16-Oct-24	1500	1600	5.65612	10.58	0.75	1008746.6	End of Day	2.691
344	5	17-Oct-24	0600	0700	0.0074	0.12	0.21	113303.1	Tank Damper Open at 0651 - Cal Data included	
345	5	17-Oct-24	0700	0800	5.00019	8.21	0.21	1110671.6		
346	5	17-Oct-24	0800	0900	5.70356	9.32	0.21	1155279.6		
347	5	17-Oct-24	0900	1000	4.95417	8.09	0.21	1159554.7		
348	5	17-Oct-24	1000	1100	4.30665	7.05	0.22	1159944.5		
349	5	17-Oct-24	1100	1200	3.8537	6.32	0.22	1160626.9		
350	5	17-Oct-24	1200	1300	3.51495	5.77	0.22	1161387.9		
351	5	17-Oct-24	1300	1400	3.25665	5.34	0.22	1164673.3		
352	5	17-Oct-24	1400	1500	2.62418	4.57	0.22	1056832.4	End of Day	0.216

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

ID#	Tank	Date	Start Time	End Time	VOC (lb/hr)	VOC (ppmV) pre-mix	VOC (ppmV) Vent Stack	Flow Rate (SCFH)	Notes	Daily Average Vent Stack (ppmV)
<i>Beginning 18 JUN 2024: No active exhaust activities for Tanks 5 and 6. DOH notified.</i>										

Beginning 18 OCT 2024, there are no active exhaust activities conducted for Tanks 5 and 6. Hourly reporting to DOH will resume when active exhaust activities commences for Tanks 3 and 4.

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)