



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/01/2025	06:00 AM	0.000	0.000	0.000	0.038	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.043	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.048	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.000	0.000	0.000	0.054	0.000	0.000	0.000	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.097	0.000	0.000	0.000	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.161	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.145	0.000	0.000	0.000	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.096	0.000	0.000	0.000	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.113	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.118	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.072	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.041	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.024	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.011	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000
04/02/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/02/2025	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/03/2025	06:00 AM	0.000	0.000	0.000	0.012	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.016	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/03/2025	08:00 AM	0.000	0.000	0.000	0.010	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.000	0.000	0.000	0.010	0.000	0.000	0.000	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.021	0.000	0.000	0.000	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.030	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.007	0.000	0.000	0.000	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
04/04/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/04/2025	09:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.000	0.000
	11:00 AM	0.001	0.000	0.000	0.029	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.005	0.000	0.000	0.000	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/07/2025	06:00 AM	0.044	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.047	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.054	0.000	0.000	0.086	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.052	0.000	0.000	0.032	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/07/2025	10:00 AM	0.043	0.000	0.000	0.083	0.000	0.000	0.001	0.000	0.000
	11:00 AM	0.033	0.000	0.000	0.138	0.000	0.000	0.002	0.000	0.000
	12:00 PM	0.023	0.000	0.000	0.096	0.000	0.000	0.010	0.000	0.000
	01:00 PM	0.002	0.000	0.000	0.221	0.000	0.000	0.029	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.173	0.000	0.000	0.033	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.103	0.000	0.000	0.034	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.003	0.000	0.000	0.013	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/08/2025	06:00 AM	0.028	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	07:00 AM	0.030	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	08:00 AM	0.037	0.000	0.000	0.003	0.000	0.000	0.000	0.000	0.001
	09:00 AM	0.039	0.000	0.000	0.163	0.000	0.000	0.003	0.000	0.001
	10:00 AM	0.026	0.000	0.000	0.144	0.000	0.000	0.016	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/08/2025	11:00 AM	0.007	0.000	0.000	0.060	0.000	0.000	0.022	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.097	0.000	0.000	0.029	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.075	0.000	0.000	0.025	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.020	0.000	0.000	0.028	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.078	0.000	0.000	0.033	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.048	0.000	0.000	0.013	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/09/2025	06:00 AM	0.001	0.000	0.000	0.022	0.000	0.000	0.002	0.000	0.000
	07:00 AM	0.001	0.000	0.000	0.051	0.000	0.000	0.005	0.000	0.000
	08:00 AM	0.005	0.000	0.000	0.140	0.000	0.000	0.001	0.000	0.000
	09:00 AM	0.027	0.000	0.000	0.141	0.000	0.000	0.011	0.000	0.000
	10:00 AM	0.015	0.000	0.000	0.025	0.000	0.000	0.033	0.000	0.000
	11:00 AM	0.013	0.000	0.000	0.043	0.000	0.000	0.030	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/09/2025	12:00 PM	0.002	0.000	0.000	0.120	0.000	0.000	0.018	0.000	0.000
	01:00 PM	0.002	0.000	0.000	0.053	0.000	0.000	0.011	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.123	0.000	0.000	0.023	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.196	0.000	0.000	0.033	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.048	0.000	0.000	0.008	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/10/2025	06:00 AM	0.014	0.000	0.000	0.000	0.000	0.000	0.025	0.000	0.000
	07:00 AM	0.016	0.000	0.000	0.000	0.000	0.000	0.018	0.000	0.000
	08:00 AM	0.025	0.000	0.000	0.010	0.000	0.000	0.022	0.000	0.000
	09:00 AM	0.039	0.000	0.000	0.087	0.000	0.000	0.017	0.000	0.000
	10:00 AM	0.013	0.002	0.000	0.056	0.000	0.000	0.023	0.000	0.000
	11:00 AM	0.015	0.150	0.000	0.090	0.000	0.000	0.011	0.000	0.000
	12:00 PM	0.004	0.125	0.000	0.063	0.000	0.000	0.009	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/10/2025	01:00 PM	0.000	0.000	0.000	0.072	0.000	0.000	0.012	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.057	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.013	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.009	0.000	0.000	0.001	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.010	0.000	0.000
	08:00 PM	0.002	0.000	0.000	0.000	0.000	0.000	0.057	0.000	0.000
04/11/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.006	0.000	0.004	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.000	0.044	0.000	0.011	0.000	0.000	0.000	0.000	0.000
	10:00 AM	0.000	0.230	0.000	0.024	0.000	0.000	0.000	0.000	0.000
	11:00 AM	0.000	0.358	0.000	0.053	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.499	0.000	0.022	0.000	0.000	0.000	0.000	0.000
	01:00 PM	0.000	0.690	0.000	0.000	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/11/2025	02:00 PM	0.000	0.546	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.003
04/14/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.000	0.000	0.000	0.002	0.000	0.000	0.002	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.001	0.000	0.000	0.006	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.023	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.001	0.000	0.000	0.034	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.002	0.000	0.000	0.046	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.001	0.000	0.000	0.049	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/14/2025	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.049	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.034	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.020	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/15/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.003	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.001	0.000	0.000	0.003	0.000	0.000
	09:00 AM	0.000	0.000	0.000	0.002	0.000	0.000	0.002	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.001	0.000	0.000	0.023	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.068	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.080	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.083	0.000	0.000	0.082	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.061	0.000	0.000	0.061	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/15/2025	04:00 PM	0.000	0.000	0.000	0.014	0.000	0.000	0.053	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.027	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.003	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/16/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.002	0.000	0.002	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.000	0.001	0.000	0.002	0.000	0.000	0.000	0.000	0.000
	10:00 AM	0.000	0.003	0.000	0.004	0.000	0.000	0.000	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.006	0.000	0.000	0.010	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.011	0.000	0.000
	03:00 PM	0.000	0.001	0.000	0.002	0.000	0.000	0.002	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/16/2025	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/17/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.377	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.000	0.662	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	10:00 AM	0.000	0.010	0.000	0.003	0.000	0.000	0.000	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.087
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.005	0.000	0.000	0.011	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.003	0.000	0.000	0.005	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.001	0.000	0.000	0.024	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.025	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.008	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/17/2025	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/18/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.006	0.000	0.000
	09:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.017	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.015	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.043	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.002	0.000	0.000	0.056	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.060	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.017	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.007	0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.000
	06:00 PM	0.001	0.000	0.000	0.000	0.000	0.000	0.018	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/18/2025	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.013	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/21/2025	06:00 AM	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.027
	07:00 AM	0.000	0.000	0.000	0.000	0.018	0.000	0.000	0.000	0.029
	08:00 AM	0.004	0.000	0.000	0.000	0.036	0.000	0.000	0.000	0.027
	09:00 AM	0.002	0.027	0.000	0.000	0.002	0.000	0.000	0.000	0.029
	10:00 AM	0.000	0.220	0.000	0.004	0.000	0.000	0.000	0.000	0.018
	11:00 AM	0.000	0.299	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.052	0.000	0.002	0.000	0.000	0.005	0.000	0.000
	01:00 PM	0.000	0.005	0.000	0.000	0.000	0.000	0.004	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/21/2025	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
04/22/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	10:00 AM	0.012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	01:00 PM	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/23/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.008	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.010	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.010	0.000	0.000
	09:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.018	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.032	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.057	0.000	0.000
	12:00 PM	0.000	0.001	0.000	0.000	0.000	0.000	0.073	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.014	0.000	0.000	0.073	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.077	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.080	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.068	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.047	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.029	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.012	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/24/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/24/2025	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.000
	09:00 AM	0.001	0.001	0.000	0.000	0.000	0.000	0.016	0.000	0.000
	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.037	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.058	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.075	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.070	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.060	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.042	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.037	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.033	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.017	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/25/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/25/2025	08:00 AM	0.003	0.000	0.000	0.000	0.000	0.000	0.005	0.000	0.000
	09:00 AM	0.010	0.000	0.000	0.000	0.000	0.000	0.008	0.000	0.000
	10:00 AM	0.002	0.000	0.000	0.000	0.000	0.000	0.031	0.000	0.000
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.059	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.066	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.030	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/28/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.007
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.004
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.006

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/28/2025	09:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.018
	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.009
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.005
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.004
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.007
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.017
04/29/2025	06:00 AM	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	09:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.465

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/29/2025	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.656
	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.144
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.075
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04/30/2025	06:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 AM	0.000	0.000	0.000	0.008	0.000	0.000	0.000	0.000	0.000
	08:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.009
	09:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.744
	10:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.713

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)



Red Hill Air Quality Monitor Readings

Parts Per Million by Volume (ppmv)

4/1/2025 to 4/30/2025

Date	Time	RH-AQM-1 ppmv	RH-AQM-2 ppmv	RH-AQM-3 ppmv	RH-AQM-4 ppmv	RH-AQM-5 ppmv	RH-AQM-6 ppmv	RH-AQM-7 ppmv	RH-AQM-8 ppmv	RH-AQM-9 ppmv
04/30/2025	11:00 AM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.031
	12:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.038
	01:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.025
	02:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.006
	03:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	04:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	05:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	06:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	07:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	08:00 PM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

* Data during ventilation operational hours (excludes weekends/federal holidays and/or breaks in venting operations)

* It should be noted that there are currently no regulatory VOC levels established for outdoor air quality.

* Photoionization detector (PID) used to measure total VOCs.

* Instrument resolution and range is 0.1 parts per million (ppm) to 15,000 ppm.

Volatile Organic
Compounds (VOC)
Levels Legend

0 - 2
ppmv Ambient Level
(Perimeter)

20
ppmv Cease Ventilation
Operations
(1 Hr total weight average)

38
ppmv Public Notification
Level 1 (8 hr exposure)
(Perimeter)

144
ppmv Level 2
(Perimeter)